
American Plaza III 47 West 200 South, Suite 510 Salt Lake City, Utah 84101 (801) 532-6640



February 23, 1983

U.S. DEPARTMENT OF THE INTERIOR Minerals Management Service 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104



DIVISION OF OIL GAS & MINING

Gentlemen:

In accordance with P.E.R. requirements for an NTL-6, we ask permission to stake the following location:

Cisco SS 9-3 Lease # U-42223 2100' FWL 2050' FNL Section 9, T20S R23E

Our operating bond number is M-046557.

Very truly yours,

AMBRA OIL & GAS COMPANY

Linda Conde

Production Manager

/lc encs.

SUBMIT IN TELLICATE

(Other instructions on reverse side)

M-046557

Budget	Bureau	No.	42-R142	ļ.
_				

UNITED STATES

	GEOLO	GICAL SURVE	Y			U-422	223	4-
A DDL ICATION	Y FOR PERMIT			N OR PILIG	RACK		, ALLOTTEE	OR TRIBE NAME
	Y FOR FERINII	DRILL, L	<u>/LLI </u>	-11, OK 1 LOG !	D/14-11	NA	·	3
la. TYPE OF WORK DRI	ILL 🛎	DEEPEN []	PLUG BA	CK 🔲	7. UNIT AGE NA	BEMENT N	AMB
b. Type of well				NGLE MULTI	Pr			
OIL WELL W	AS OTHER	1		NE L ZONE		8, FARM OR		1 Feb. 2
NAME OF OPERATOR		ij.			·	9. WELL NO.		nd Fuels
Ambra Oil & G	Sas Company						* .	2
. ADDRESS OF OPERATOR						10. FIELD AN	SS 9-	
47 W. 200 S.,	Suite 510 Sal	t Lake City	, Ut	ah 84101			Sprin	4.1
. LOCATION OF WELL (R. At SUFFACE	eport location clearly and	IN Secolurace Air	a auj c	rate reduirements.		11. SPC., T.,	R., M., OR E	LK.
	2100' FWL	2050' FNL,	SE½	NW ¹ Z		AND SUR	VEY OR AR	EA .
At proposed prod. zon		nii di				Sec 9	, T20s	R23E
A night of the MILES	AND DIRECTION FROM NEAR	REST TOWN OR POST	OFFICE	*	 	12. COUNTY	OR PARISH	13. STATE
	and the second second					Grand		Utah
5. DISTANCE FROM PROPU	neast of Cisco,	l I	16. No	OF ACRES IN LEASE		F ACRES ASSI	ORN	
LOCATION TO NEAREST PROPERTY OR LEASE L	x 2050'			1840	TO T	HIS WELL		
(Also to nearest drig 8. DISTANCE FROM PROP	g. unit line, if any)	.6	19. PR	OPOSED DEPTH		RY OR CABLE 7	OOLS	
TO NEAREST WELL, D. OR APPLIED FOR, ON THE	RILLING, COMPLETED,	350'		2550'	R	otary	-	
1. ELEVATIONS (Show who	the state of the s	<u> </u>					. DATE WO	RK WILL START
4794'						Apri	1 18,	1983
3.		PROPOSED CASIN	G ANE	CEMENTING PROGR	AM I			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	ОT	SETTING DEPTH	1 5	QUANTIT	OF CEMEN	TT.
11"	8-5/8"	28		160'	35 sa	aka (aan	ent to	surfacé)
					1 33 50	TOUS LCCT		
6-3/4"	41511	10.5		2550'	135 sa			
6-3/4"	412"	10.5						
6-3/4"	4½"	10.5						
6-3/4"	45"	10.5						
6-3/4"	45"	10.5						
6-3/4"	4½"	10.5						
6-3/4"			est 1		135 sa	ıcks		
6-3/4"		rilled to t		2550' the Morrison Sa	135 sa	ıcks		
6-3/4"	Well will be d shows encounte	rilled to t	tesi	2550' the Morrison Sa	135 se	icks n Formati	on. A	
6-3/4"	Well will be d shows encounte	rilled to tred will be	tesi	2550' the Morrison Sa	135 se	icks n Formati	on. A	
6-3/4"	Well will be d shows encounte	rilled to tred will be	tesi	2550' the Morrison Sa	135 se	n Formati	on. A	11
6-3/4"	Well will be d shows encounte	rilled to tred will be	tesi	2550' the Morrison Sa	135 se	n Formati	on. A	11
6-3/4"	Well will be d shows encounte	rilled to tred will be	tesi	2550' the Morrison Sa	135 se	n Formati	on. A	11
6-3/4"	Well will be d shows encounte	rilled to tred will be	tesi	2550' the Morrison Sa	135 se	n Formati	on. A	11
6-3/4"	Well will be d shows encounte	rilled to tred will be	tesi	2550' the Morrison Sa	135 se	n Formati	on. A	11
6-3/4"	Well will be d shows encounte	rilled to tred will be	tesi	2550' the Morrison Sa	135 se	n Formati	on. A	OIL & CAS OPERATI
	Well will be d shows encounte Blowout equipm hydraulic type	rilled to to red will be ent to be unLWS	tesi	2550' the Morrison Sated. 8" 900 series	135 sa	r Formati	on. A affer	MINERALS MANAGENE SERVICE SERVICE RECEIVED
	Well will be d shows encounte Blowout equipm hydraulic type	rilled to to red will be ent to be unLWS	tesi	2550' the Morrison Sated. 8" 900 series	135 sa	r Formati	on. A affer	MINERALS MANAGEMENTON SERVICE NEW PROPERTION OF PROPERTY OF THE PROPERTY OF TH
N ABOVE EPACE DESCRIBI	Well will be d shows encounte Blowout equipm hydraulic type	rilled to to red will be ent to be unLWS	tesi	2550' the Morrison Sated. 8" 900 series	135 sa	r Formati	on. A affer	MINEPALS MANAGEMENT SERVICE SERVICE SERVICE MENERATION OF PROJECTION OF
N ABOVE SPACE DESCRIBIONS. If proposal is to reventer program, if an	Well will be d shows encounte Blowout equipm hydraulic type represent program: If drill or deepen directions type	rilled to to red will be ent to be unLWS	tesi sed:	2550 the Morrison Sated. 8" 900 series Nug back, give data on the subsurface locations as	135 salt Was	e gate sh	on. A affer	OIL & CAS OPERATION OF THE CONTROL OF THE CAS OF THE CONTROL OF TH
N ABOVE SPACE DESCRIBIONS. If proposal is an	Well will be d shows encounte Blowout equipm hydraulic type	rilled to to red will be ent to be unLWS	tesi sed:	2550' the Morrison Sated. 8" 900 series	135 salt Was	e gate sh	on. A affer	MINEPALS MANAGEMENT SERVICE SERVICE SERVICE MENERATION OF PROJECTION OF
N ABOVE SPACE DESCRIBIONE. If proposal is to reventer program, if an 4.	Well will be deshows encounted Blowout equipment hydraulic types by the drill or deepen directions by fallings.	rilled to to red will be ent to be unlike to be unlike to be unlike to deep ally, give pertinent	tesi sed:	2550 the Morrison Sated. 8" 900 series Nug back, give data on the subsurface locations as	135 salt Was	e gate sh	on. A affer	OIL & CAS OPERATION OF THE CONTROL OF THE CAS OF THE CONTROL OF TH
N ABOVE SPACE DESCRIBIONE. If proposal is to reventer program, if an 4.	Well will be d shows encounte Blowout equipm hydraulic type represent program: If drill or deepen directions type	rilled to to red will be ent to be unlike to be unlike to be unlike to deep ally, give pertinent	tesi sed:	2550 the Morrison Sated. 8" 900 series Nug back, give data on the subsurface locations as	135 salt Was	e gate sh	on. A affer	OIL & CAS OPERATION OF THE CONTROL OF THE CAS OF THE CONTROL OF TH
N ABOVE SPACE DESCRIBIONE. If proposal is to reventer program, if an 4.	Well will be deshows encounted Blowout equipment hydraulic types by the drill or deepen directions by fallings.	rilled to to red will be ent to be unlike to be unlike to be unlike to deep ally, give pertinent	tesised:	2550 the Morrison Sated. 8" 900 series on some subsurface locations at the series of	135 salt Was	e gate sh	on. A affer	OIL & SERVICE WANAGE WE GEVED TO BE GIVE DIOWOTE BE GIVE DIOWO
N ABOVE EFACE DESCRIBIONE. If proposal is to reventer program, if and a signed (This space for Federal	Well will be deshows encounted Blowout equipment hydraulic types by the drill or deepen directions by fallings.	rilled to to red will be ent to be unlike to be unlike to be unlike to deep ally, give pertinent	tesised:	2550' the Morrison Sated. 8" 900 series lug back, give data on particular series kploration Vice	135 salt Was	e gate sh	on. A affer	OIL & SERVICE MANAGEMENT OF THE SERVICE OPERATION OF THE SERVICE O

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

GAS IS SUBJECT TO NTL 4-A

2100 i SE 1 NW 1 SEC. T205 R23E SLB&M

SCALE: 1" + 1000"

AMBRA #9-3

tocated South 2050 feet from the North boundary and East 2100 feet from the West boundary of Section 9, T205, R23E, SLB&M.

RP North 200' = 4811.3 Elev. 4794

Rp-South 2001 = 4788.5

RP East 200' = 4822.8 Grand County, Utah


RD west 200' = 4797.9

yr, o yng gray gang attag an i Dullan Latanaga (a Stalland), anna dua, ythaif allah sa 🚔 na aganaga 🕫 (tab) i Skirastifikashk



SURVEYOR'S CERTIFICATE

THIS IS TO CENTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD MOTES OF ACTUAL SURVEYS MADE BY ME OR WHOSE MY SUPPRIVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE SEST OF MY KNOWLEDGE AND SELIEF





UDELL S. WILLIAMS


751 Rood Avenue GRAND JUNCTION, COLORADO 81501

PLAT OF PROPOSED LOCATION

AMBRA #9-3 SE1NW1 SECTION 9 T205, R23E, SLB&M

STRAVEYED BY: USW DATE: 3/1/63

BRAWN BY: USW DATE: 3/5/83



Form 9-331 C (May 1963)

SUBMIT IN TRIPLICATES **UNITED STATES**

(Other instructions on reverse side)

M-046557

Budget	Bureau	No.	42-R1425.

		~		
EPARTME	NT O	FTHE	INTERIOR	
**			· · · · · · · · · · · · · · · · · · ·	

5. LEASE DESIGNATION AND SERIAL NO.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK TYPE OF WORK DRILL EX DEEPEN PLUG BACK NA		GEOLO	GICAL SURVE	Y			U-42223	
DRILL EX DEPEN DEPEN DEPEN PLUG BACK DIT TO WALL OF THE AND STORY DEPTH	APPLICATION	N FOR PERMIT 1	O DRILL. D	EEPE	N, OR PLUG B	ACK		TER OR TRIBE NAME
DRILL COMMENT OF WHAT. OTHER DOTESTOR SOURCE DOTESTOR Ambra 011 6 Gas Company Ambra 011 6 Gas Company Annual Delay Company Concessor of STRAINGS AT W. 200 S., Suite 510 Salt Lake City, Utah 84101 LOCATION OF WHAT. (Report location clearly and is accordance with any State requirements.) At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's 2100 FWL 2050' FNL, SE's NW's 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's At proposed grod. Sone 2100 FWL 2050' FNL, SE's NW's AT PROPOSED CASING AND CEMERTING PROGRAM AND CEMERT WE COME TO THE AND THE	TYPE OF WORK							WART .
THE OF WALL OTHER ONE SORT STATE OF CHARGE NAME ABOVE 10 16 Gas Company ADDRAGE OF OTHER SORT SAME OF LARGE NAME AND A 011 6 Gas Company APPROVED NAME OF CHARGE NAME APPROVED NAME OF THE SAME OF CHARGE NAME APPROVED NAME OF THE SAME OF THE SA	DRI	LL 🖺	DEEPEN []	PLUG BA	CK 🔲 🦠		NAME
Ambra Office Sample Source Sou	TYPE OF WELL			#11	MOLTIF			YAME
ADDITA OIL & GAS Company ADDITAGO STATEM FOR STATES AFTER OF SOLE SHAPES AFTER OF SOLE SHAPES AND THE STATES AND THE STAT	WELL WI	ELL XX OTHER				<u>_ LJ :</u>		
Ambras Oil & Gas Company Arrestatory 47 W. 200 S., Suite 510 Salt Lake City, Utah 84101 Location for wall (Report location dearly and in accordance with any State requirements.) At proposed prod. sone 2100' FWL 2050' FNL SE', NWL At proposed prod. sone 2100' FWL 2050' FNL SE', NWL At proposed prod. sone 2100' FWL 2050' FNL SE', NWL At proposed prod. sone 2100' FWL 2050' FNL SE', NWL 211, PR.C. T. H. M. CON BLE At proposed prod. sone 2100' FWL 2050' FNL SE', NWL 211, PR.C. T. H. M. CON BLE 220 Sec. 9, T20S R23E 220 Sec. 9, T20S R		the first of the second			A SECTION AND A	aContr.		and rueis
47 W. 200 S., Suite 510 Salt Lake City, Utah 8410. LOCATION OF WHALL (Report location clearly and in accordance with any State requirements) At proposed prof. Sone 2100' FWL, 2050' FNL, SE', NW', At proposed prof. Sone 2100' FWL, 2050' FWL, SE', NW', 2100' FWL, 2050' FWL, SE', NW', 2100 STANCE IN MILES AND DERICTION FROM THAREST TOWN OR FORT OFFICE' 2100 STANCE IN MILES AND DERICTION FROM THAREST TOWN OR FORT OFFICE' 211 miles northeast of Cisco, Utah 2250' 16. No. OF ACRES IN LINES. 2250' 18. FROM SECOND TOWN OR FORT OFFICE' 2250' 18. FROM SECOND TOWN OR FORT OFFICE' 2250' 20 STANCE FOR OR THE MEANS, TOWN THE MEANS,	Ambra Oil & G	as Company						02
At proposed prod. 2000 FWL 2050 FNL, SE's NW: At proposed prod. 2000 FWL 2050 FNL, SE's NW: Distance for Miles and Director from Hearest town or form office. I miles northeast of Cisco, Utah Distance for Foot Proposed prod. 2005 18, No. of Acres in Legis 17, No. of Acres III Miles and Director from Hearest 1200 18, No. of Acres III Legis 17, No. of Acres III Legis 1				:		100	4	
At proposed prod. 2000 FWL 2050 FNL, SE's NW: At proposed prod. 2000 FWL 2050 FNL, SE's NW: Distance for Miles and Director from Hearest town or form office. I miles northeast of Cisco, Utah Distance for Foot Proposed prod. 2005 18, No. of Acres in Legis 17, No. of Acres III Miles and Director from Hearest 1200 18, No. of Acres III Legis 17, No. of Acres III Legis 1	47 W. 200 S.,	Suite 510 Sal	t Lake City	. Uta	th 84101	- 2	CACATER SAF	CO MACM
At proposed prod. sons 2100' FMI. 2050' FMI., SEA NW2 DISTANCE HA MILES AND DIRECTION FROM BRAKERY TOWN OR PORT OFFICE' 1 miles northeast of Cisco, Utah DISTANCE FROM FROM-SEAD. 1057AGE FROM FROM-SEAD. 1057AGE FROM FROM-SEAD. 2050' 1840 1840 1840 1840 20. SOURCE FMI. PROPOSED LOCATION' TO MERSEAU WILLIAMS, OUTLANDS, OUTLANDS, DATE WORK WILL START APPENDED CASING AND CEMENTING PROGRAM 22. APPROX. DATE WORK WILL START APPENDED CASING AND CEMENTING PROGRAM 11" 8-5/8" 28 160' 35 Sacks (Cement to Surface) 11" 8-5/8" 28 160' 35 Sacks (Cement to Surface) Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaffer hydraulic type LWS ABOVE SPACE DESCRIPE FROM CORPORADE PROGRAM: If proposal is to deepen or ping back, give Risage of Predefal or State office use) AND START WASH. Exploration Vice-President March 9. 1983 APPROVED PROFESSION. MARCH 9. 1983	At surface	eport location clearly and	C C		0	2 1	11. SEC., T., B., M., O	R BLE.
AL POSPOSED PROJ. SORD DISTANCE IN MILES AND DIRECTION FROM MEARING TOWN OF FOR OFFICE* IN MILES NOT HEARING TO CISCO, Utah DISTANCE FROM FROM SERVER 2050' FROM FROM FROM FROM FROM FROM FROM THE PROPERTY TO APPENDED PROPERTY APPENDED PR		2100' FWL	2050' FNL,	SE14	NW4 OZ	. o	AND SUBVEY OR	AREA
1 miles northeast of Cisco, Utah DEFARCE FROM FROPUSED* DISTANCE FROM FROPUSED* (Also to mearer drig, unit line, if any) DISTANCE FROM FROM PROPOSED LOCATION* (Also to mearer drig, unit line, if any) DISTANCE FROM FROM PROPOSED LOCATION* (Also to mearer drig, unit line, if any) DISTANCE FROM FROM PROPOSED LOCATION* (Also to mearer drig, unit line, if any) DISTANCE FROM FROM PROPOSED LOCATION* (Also to mearer drig, unit line, if any) DISTANCE FROM PROPOSED LOCATION* (April 18, 1983) PROPOSED CASING AND CEMENTING PROGRAM APRIL 18, 1983 PROPOSED CASING AND CEMENTING PROGRAM APRIL 22 APPEROX. DATE WORK WILL STAFF APRIL 18, 1983 PROPOSED CASING AND CEMENTING PROGRAM 11" 8-5/8" 28 160' 35 sacks (cement to surface) 6-3/4" 4½" 10.5 2550' 135 sacks Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaff are hydraulic type LWS APPROVED BUILDING APPROVED BUILDING APPROVED BUILDING APPROVED BUILDING APPROVED BUILDING APPROVED BUILDING TITLE Exploration Vice-President DATE March 9. 1983 (This space for Frederial or State office use)	At proposed prod. zone				70 TO	ر مرد ر	Sec 9, T2	OS R23E
1 miles northeast of Cisco, Utah DEFARCE FROM FROPUSED* DISTANCE FROM FROPUSED* (Also to mearer drig, unit line, if any) DISTANCE FROM FROM PROPOSED LOCATION* (Also to mearer drig, unit line, if any) DISTANCE FROM FROM PROPOSED LOCATION* (Also to mearer drig, unit line, if any) DISTANCE FROM FROM PROPOSED LOCATION* (Also to mearer drig, unit line, if any) DISTANCE FROM FROM PROPOSED LOCATION* (Also to mearer drig, unit line, if any) DISTANCE FROM PROPOSED LOCATION* (April 18, 1983) PROPOSED CASING AND CEMENTING PROGRAM APRIL 18, 1983 PROPOSED CASING AND CEMENTING PROGRAM APRIL 22 APPEROX. DATE WORK WILL STAFF APRIL 18, 1983 PROPOSED CASING AND CEMENTING PROGRAM 11" 8-5/8" 28 160' 35 sacks (cement to surface) 6-3/4" 4½" 10.5 2550' 135 sacks Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaff are hydraulic type LWS APPROVED BUILDING APPROVED BUILDING APPROVED BUILDING APPROVED BUILDING APPROVED BUILDING APPROVED BUILDING TITLE Exploration Vice-President DATE March 9. 1983 (This space for Frederial or State office use)	DISTRIBUTE IN MILES A	NO DIRECTION FROM NEAD	REST TOWN OF POST	OFFICE	· FZ	- 3	12 COUNTY OR PARI	BH 13. STATE
DISTANCE FROM PROPOSED. LOCATION TO BREATH THE TOTAL CONTINUENT TO PROPOSED PROPOSED TO THE PROPOSED DISTANCE THE PROPOSED PROPOSED THE PROPO					30	ر ن		
DOCATION TO REASEST PROPERLY. T. 250 1840 40 40 40 40 40 40 40	DISTANCE FROM PROPO	SED*	l l	16. NO.	OF ACRES IN LUGER			•
DISTANCE PROPOSED LOCATION 19. PROPOSED DEPTH 2550' ROTARY OR CABLE TOOLS ROTARY 22. ANTHON (Show Whether DF, ET, GR, etc.) 4794' PROPOSED CASING AND CEMENTING PROGRAM SIZE OF NOLE SIZE OF CASING WHICH PER FOOT SETTING DEPTH 3. SACKS (CEMENT TO SEMENT	LOCATION TO NEAREST PROPERTY OR LEASE L	: 2050'			1840	TOT		
ON MARKET WILL SHILLING, COMPARIED. ON APPLIED VOR, NO THIS LEARLY. ELEVATIONS (Show whether DE, ET, GR. etc.) 4794' PROFOSED CASING AND CEMENTING PROGRAM SIZE OF NOLE SIZE OF CASING WHICH PER FOOT SETTING DEPTH ON APPLIED TO SURFACE. SIZE OF NOLE SIZE OF CASING WHICH PER FOOT SETTING DEPTH ON OWN OF CEMENT 11" 8-5/8" 28 160' 35 Sacks (cement to surface) 6-3/4" 4½" 10.5 2550' 135 Sacks Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaffare hydraulic type LWS APPROVED BY ISONOF Exploration Vice-President March 9. 1983 (This space for Federal or State office use)	(Also to nearest drig	unit line, if any)		19. PR		20. BOTA	RY OR CABLE TOOLS	
EMPATEONS (Show whether DF, ET, GR, etc.) 4794' PROPOSED CASING AND CEMENTING PROGRAM PROPOSED CASING AND CEMENTING PROGRAM SIZE OF NOLE SIZE OF CASING WEIGHT PER POOT SETTING DEPTH 11" 8-5/8" 28 160' 35 sacks (cement to surface) 6-3/4" 4½" 10.5 2550' 135 sacks Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaffer hydraulic type LWS APPROVED BUSSON OF OUR GAS AND	TO NEAREST WELL, DE	RILLING, COMPLETED, 1	.350'		2550'	Re	otary	
PROPOSED CASING AND CEMENTING PROGRAM SIZE OF NOLE SIZE OF NOLE SIZE OF CASING WHICH PER POOR SETTING DEPTH QUANTITY OF CEMENT 11" 8-5/8" 28 160' 35 sacks (cement to surface) 6-3/4" 4½" 10.5 2550' 135 sacks Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaffers hydraulic type LWS ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give units and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface localing and measured and true vertical depths. Give blowowener program, if any. SIGNED LOCAL PATE Exploration Vice-President March 9. 1983 (This space for Federal or State office use)	· · · · · · · · · · · · · · · · · · ·		1			, <u></u> ,	22. APPROX. DATE	WORK WILL STARTS
Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaffare hydraulic type LWS ADOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give late, quadratic some and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowowners program, if any. Exploration Vice-President March 9. 1983 (This space for Federal or State office use)	the state of the s						April 18	, 1983
Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaffer hydraulic type LWS APPROVED BY THE STORES PROPOSED PROGRAM: If proposal is to deepen or plug back, give date on subsurface localized and true vertical depths. Give blowoventer program. If any Language and proposed new productive some and proposed new productive reference. If proposal is to deepen or plug back, give date on subsurface localized and true vertical depths. Give blowoventer program. If any Language and proposed new productive some and proposed new productive some and proposed new productive program. If any Language and true vertical depths. Give blowoventer program. If any Language and proposed new productive some and proposed new productive some and proposed new productive program. If any Language and true vertical depths. Give blowoventer program. If any Language and true vertical depths. Give blowoventer program. If any Language and true vertical depths. Give blowoventer program. If any Language and true vertical depths. Give blowoventer program is any program of the proposed and proposed new productive some and proposed ne		I	ROPOSED CASIN	G AND	CEMENTING PROGRA	AM I		
Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaffere hydraulic type LWS APPROVED BY INDUMENTAL AND	SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	OΣ	SETTING DEPTH	. 5	QUANTITY OF CEN	(ENT
Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaffare hydraulic type LWS APPROVED BY ISON MARKED APPROVAL DATE APPROVAL DATE March 9. 1983 APPROVAL DATE DATE DATE DATE DATE	11"	8-5/8"	28		160'	35 sa	acks (cement	to surface)
Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested. Blowout equipment to be used: 8" 900 series double gate shaffere hydraulic type LWS APPROVED BY ISON OF COLL, AND	6-3/4"	41/2"	10.5		2550'	135 sa	icks	
ABOVE SPACE DESCRIBE PROPOSED FEOGRAM: If proposal is to deepen or plug back, give data on open reductive zone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data on subsurface location and measured and true vertical depths. Give blowowenter program, if any. Exploration Vice-President DATE March 9. 1983 TITLE PERMIT NO. APPROVAL DATE		shows encounte	red will be ent to be u	test	ed.			
(This space for Federal or State office use) PERMIT NO. APPROVAL DATE	e. If proposal is to	driff or deeben directions	proposal is to deep ally, give pertinent	uatz (lug back, give data on on n subsurface locations at	nu measure	nctive zone and prop d and true vertical de	osed new productive pths. Give blowou
DATE		fal or State office use)	TIT!				DATE	
DATE	mentica Mo			<u> </u>	APPROVAL DATE			·
DATE	PERMIT NO.				···· · · · · · · · · · · · · · · ·			-
			igi sula i	LE		. :	DATE	

U.S. GEOLOGICAL SURVEY 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

RE: AMBRA IF CISCO SS 9-3 NTL-6 Supplementary Information for APD, 9-331-C

Application for Ambra 0il & Gas Company, a Utah corporation to drill in the SE_{κ}^{L} NW_{κ}^{L} of Section 9, T20S R23E, Grand County, Utah is set forth on Form 9-331-C. The purpose of this letter is to present the additional information required on the NTL-6 regulation.

- 1. Geologic Name of Surface Formation: Cretaceous Mancos Shale
- 2. Geological Formation Tops:

3. Cretaceous Mancos Shale Surface
Dakota 1990'
Cedar Mountain 2090'

Jurrasic Morrison (Brushy Basin) 2136'
Morrison (Salt Wash) 2444'
Total Depth 2550'

- 4. Casing Program: See Form 9-331-C
- 5. Pressure Control Equipment: BOP and manifold to be tested 1000 psi prior to drilling out shoe joint. Pipe rams will be operational and tested daily. Blind rams will be operational and tested on trips. BOP and manifold will be visually inspected daily. All tests will be recorded on daily tour sheets. See BOP schematic.
- 6. Drilling and Circulating Medium: Operator plans to drill with air and air mist as far as possible. Water base drilling fluid will be used in the event formation water is encountered, to control or kill oil or gas flows, and when running long string (4½" 10.5 lb casing). It will consist of invert polymer type bio-degradable mud at 8.2 lb per gallon. Weight and mud to 10 lb per gallon will be provided if required. Potassium chloride (KCl) D.G. chemical will be added as required.
- 7. Auxiliary Equipment: (1) Kelly Cock Demco; (2) Floats at the bitsub and string; (3) No monitoring equipment on mud system; and (4) Sub on floor with a full-opening valve. The fill, kill, and choke lines will be attached to the wellhead below the BOP. The following auxiliary equipment will also be used:
 - a. 6000# shut-off valve on stand pipe.
 - b. One float at bit and two string floats.
 - c. Sub 3½" IF to 2" valve for controlling blowouts when making round trips.

U.S.G.S. Page 2 March 9, 1983

- 8. Testing, Logging, & Coring: Schlumberger or Gearhart. No DST's programmed. Electric logs will consist of dual induction laterlog (DIL), compensated neutron and formation density (CNFD), caliber log (CL), and sonic BHC. If casing is set, a cement bond log (CBL) and gamma ray log (GRL) will be run. Drilling samples will be taken every 10 feet starting 100 feet above the Dakota formation. Microscope analysis will be done by a geologist.
- 9. The maximum bottom hole pressure expected is 1500 psi. Flexibility provisions are the BOP and high-pressure fittings and couplings. No hydrogen sulfide problems are expected.
- 10. The approximate starting date is April 18, 1983, and drilling should take from five to ten days.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Ambra Oil & Gas Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

Much 10, 1983

Date

WESLEY PENTINGILL

Exploration Vice-President

U.S. GEOLOGICAL SURVEY
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

RE: AMBRA IF CISCO SS 9-3
Multipoint Requirements

1. Existing Roads

- a. Proposed well site is staked.
- b. Route and distance from nearest town. Well site is located approximately 11 miles northeast of Cisco, Utah. Exit at the east Cisco Bookcliff exit on I-70. Go north about 150 feet and turn left at the first intersection of the county road. Proceed northwest on the Cisco Springs County Road approximately 5½ miles until an intersection of four roads occurs. Take the west road down the hill for approximately 900 feet until the flagged access road for the Cisco SS 9-4 well is encountered on the right (northwest). Proceed along this road (approximately 530 feet) to the 9-4 well pad. The flagged access road to the proposed location for the 9-3 well continues past the 9-4 well pad for approximately 1500 feet. The new road will be along the base of the bank, following the contour of the terrain. Vegetation and 3-4 inches of topsoil will be windrowed on the downhill side of the access road.
- c. Access road is dotted in red. The existing roads are solid in blue. Improvement to the existing roads is not needed.
 - d. Does not apply.
- e. If a development well, list all the existing roads within a one-mile radius of well site. This radius includes the Cisco Springs County Road and the road headed south towards Cisco Wash.
- f. Plans for improvement and/or maintenance of existing roads. In the event of production, operator will work to maintain a graded and improved road year-round. This will require cooperation with the other operators in the area to maintain this road.

2. Planned Access Road

- 1. Width: 16' travel surface, 20' disturbed width. Vegetation and 3-4 inches of topsoil will be windrowed on the downhill side of the access road separately from the cut and fill material. The access road will be along the base of a hill and will generally follow the contour of the terrain.
 - 2. Maximum grades: 1 to 1 degree. No waterbars are needed.
 - 3. Turn-out: no turn-outs are needed.

- 4. Drainage design: small borrow pit on the uphill side for drainage. Should production be established, the road will be upgraded to include ditch and crown.
- 5. Location of culverts and brief description of any major cuts and fills. No culverts are needed in this area. No major cuts or fills are required.
- 6. Surfacing material: none needed. Land will be disturbed very little. No foreign material is needed.
 - 7. Necessary gates, cattleguards, or fence cuts: none needed in this area.
- 8. New or constructed roads. Operator will make use of existing roads in the area. The new access road will be constructed approximately 1500 feet in length from Ambra's 9-4 location, and the proposed route is flagged in red. The width will be 16' travel surface, 20' disturbed width. Surface disturbance will be kept to a minimum. The access road will be along the base of a hill located to the east and will follow the contour of the terrain as much as possible. Minimum cuts at the base of the slope will be necessary to construct a level road. The access road will enter the well pad location on the southeast corner.

3. Location of Existing Wells

- a. See USGS topographic map.
- b. Producing wells in a one-mile radius:
 - 1. Sec. 4 Maverick 4-2; shut-in gas
 - 2. Sec. 4 Frank Adams 1-622; gas
 - 3. Sec. 4 Willard Pease No. 143; gas
 - 4. Sec. 5 K-5 13-5; gas
 - 5. Sec. 9 Willard Pease No. 1-355; oil
 - 6. Sec. 9 Willard Pease 1-506; gas
 - 7. Sec. 9 TXO 9-1; gas
 - 8. Sec. 10 Willard Pease No. 6; gas
 - 9. Sec. 10 Cardmore 1A; gas
 - 10. Sec. 10 Willard Pease No. 1; oil & gas
 - 11. Sec. 10 Willard Pease No. 5; gas
 - 12. Sec. 10 Moore No. 4; gas
- c. Producing wells in a two-mile radius:
 - 1. Sec. 3 Frank Adams 1-037; gas
 - 2. Sec. 5 K-5 14-5; oil & gas
 - 3. Sec. 5 Sonic 14-5; oil
 - 4. Sec. 11 Boardwalk/Ambra Levon #1; oil & gas
 - 5. Sec. 15 Willard Pease No. 1; oil & gas
 - 6. Sec. 15 TXO 15-2; oil & gas
 - 7. Sec. 32 Willard Pease No. 1; gas (T19S R23E)

d. No water, disposal, or injection wells are in a one-mile radius.

4. Location of Existing and/or Proposed Facilities

- a. 1. Tank batteries. Operator maintains various production storage tanks in T2OS R23E. If oil production is established, new tank batteries will be installed on the southeast corner of the proposed location and will be 125 feet from the wellhead. Earthen berms will be built around any tank batteries to hold 110% of the tank volume.
- 2. Production facilities. Operator maintains various pumpjacks, dehydrators, and separators in T2OS R23E. If production is established, new production facilities will be located on the southeast corner of the proposed location. All above-ground production equipment will be painted using one of the colors on the attached list.
- 3. Oil gathering lines. None only to tank at location if oil production is established.
- 4. Gas gathering lines. Northwest Pipeline's lateral A-1 (4") in the NE of Section 9 and Trunk A (6") in the north half of Sections 14 and 15. Gas lines will follow existing roads as much as possible.
 - 5. Injection lines. None.
 - 6. Disposal lines. None.
- b. Any facilities required in the event of production will be located in the southeast corner of the proposed location. See the enclosed sketch of the area showing planned production facilities. All open and exposed pits will be fenced to protect livestock and wildlife. An earthen fire bunker will be built around any tanks with sufficient capacity to hold 110% of the tank volume. Gas lines will be laid on the surface to the lateral A-1 line (pending right-of-way) operated by Northwest Pipeline. A time schedule for this will be within a 60-day period upon completion of the well.
- c. The reserve pit and any portion of the location and access road not needed for production or production facilities will be reclaimed as described in the rehabilitation section. All stockpiled/windrowed topsoil will be used in reclaiming unused areas.

5. Location and Type of Water Supply

- a. Cisco Springs in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 4, T20S R23E. We have a state water permit.
 - b. State method of transporting water. Water tank truck.
 - c. No water well is planned or needed.

6. Source of Construction Materials

The location will be on Federal land so if any sand or gravel is needed, it will be brought into the area from a private source in Thompson, Utah, 21 miles west. Until production is established, the road will be a surface-scraped dirt road from the existing road to the proposed well location. No construction materials are planned or needed. This is flat desert land on a Mancos Shale formation. Bladed roads that are watered and packed down are the best roads for this area.

7. Method for Handling Waste Disposal

Cutting and drilling fluids will be discharged via air into the reserve pit. A portable chemical toilet will be on location for sewage. Garbage and waste materials will be placed in a trash cage and hauled out when work is completed. The location will be cleaned, and all materials will be hauled away. Produced fluids (oil and water) will go into tanks and pits, respectively. The blouey line will be 125 feet long, centered, and angled down into a trench pit. It will be anchored. The blouey line will be misted while drilling with air. The area will be free of trash and debris when the rig is moved out. If any waste material is to be burned, a burning permit will be obtained from the State Land Forestry and Fire Control office in Moab, Utah prior to burning.

8. Auxiliary Facilities

None other than a trailer and dog house. No camp or air strip is required.

9. Well Site Layout

- 1. Cross section of 150' x 150' drill pad with cuts and fills. The well location is relatively flat and requires minimum cuts and fills. Vegetation and 6-8 inches of topsoil will be stockpiled/windrowed on the south side of the location.
- 2. Mud tank, reserve pit, and trash cages. See well pad schematic. The reserve/blouey pit will be located on the north side of the location. The pit will be fenced on 3 sides prior to drilling, and the fourth side will be fenced when drilling is completed. The fence will be 36" high of woven wire plus one strand of barbed wire for support.
 - 3. See drawing.
 - Pits are to be unlined.

10. Restoration Plans

1. Immediately upon completion of drilling, the location and surrounding area will be cleared of all debris resulting from the operation. All trash will be disposed of in the portable trash cage and will be hauled to a local town dumpsite. No trash will be left in the pits.

- 2. The operator or his contractor will notify the Grand Resource Area BLM office in Moab, Utah (801-259-8193) four to eight hours prior to starting rehabilitation work that involves earthmoving equipment. The Grand Resource Area BLM Office in Moab will again be notified upon completion of restoration.
- 3. Prior to any dirtwork restoration of disturbed areas, the reserve/blouey pit will be dry and completely free of any trash or debris. Any such trash or debris will be removed from the pit and public lands.
- 4. All disturbed areas to be restored will be recontoured to blend with the surrounding area. The stockpiled/windrowed topsoil will be evenly distributed over the rehabilitated area. All rehabilitated areas will be scarified to a depth of 12 inches.
- 5. The rehabilitated area will be seeded from October 15 to November 15 or any other time that the Grand Resource Area Office approves. Seed mixture specifications will be supplied by the BLM. The seed mixture will either be broadcast or drilled. If the seed is broadcast, the seeded area will be harrowed or dragged to assure seed cover. After seeding is completed, any stockpiled vegetation will be scattered evenly over the reclaimed area and walked down with a dozer. Any reclaimed access roads will be blocked to prevent use.
- 6. If the proposed well is completed as a producer, any unused areas will be reclaimed as previously described.
 - 7. After the rig is moved.
- 8. If there is oil in the pit, we will either remove it or install overhead flagging.
- 9. Rehabilitation of the well site area will be completed within 60 days after abandonment with the exception of reseeding following BLM instructions (October 15 to November 15). In the event the well is completed as a dry hole, rehabilitation will take place within 60 days after release of the drilling rig. In the event the well is completed as a commercial producer of oil and/or gas, unused portions of the well pad will be rehabilitated within 60 days after completion. All restoration will be as per BLM instructions.

11. Other Information

- 1. The location is part of the Green River desert area. Vegetation consists of scrub sagebrush, greasewood, and shadscale. Cattle and sheep graze the area in the fall and spring seasons. Cisco Springs is approximately one mile to the northeast with practically no dwellings and no evidence of historical, cultural, or archaeological value.
- 2. The Grand Resource Area office in Moab, Utah (801-259-8193) will be contacted 48 hours prior to commencing any work on public lands.
- 3. The operator's dirtwork contractor will be furnished with an approved surface-use plan and with BLM stipulations prior to any work.

5. If any subsurface cultural material is exposed during construction, work will stop immediately, and the Grand Resource Area Office will be notified. All persons in the area will be informed of possible prosecution if they are caught disturbing archaeological sites or removing artifacts.

12. Operator

Ambra Oil and Gas Company American Plaza III 47 West 200 South, Suite 510 Salt Lake City, Utah 84101

Telephone: (801) 532-6640

Attention: Wesley Pettingill

13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Ambra Oil and Gas Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

March 21, 1983

Date


WESLEY PETTINGILL


Exploration Vice-President

CUT & FILL DIAGRAM CLSCO SS #9-3

VERT. SCALE 1'= 20 FE. HORIZONTAL SCALE 1"= 50 FE.


-NRP WBILL FE N 4794 Ft CAT 7 Ft { 5RP-4788FC ERP. 4822 Ft. W E cut 14 Ft. WRP 4798 FT WATER DIVERSION BERM OR TRENCH CUT 7 FT Shekpile Exerco Fill W FILL 2FE Stockpile Topsoil





TANK BATTERY

FENCED AND FIRE BERMED



DIL AND/OR GAS

SOILE 1 : 40'



United States Department of the Interior

BUFEAU OF LAND MANAGEMENT

SUGGESTED COLORS TO PAINT OIL & GAS PRODUCTION FACILITIES

Cisco Desert and Flats below the Bookcliffs:

Dynasty Green

(Sears)

Tumbleweed

(Pratt & Lambert)

Control wash did the

Sage Gray

(Pratt & Lambert)

Bookcliffs Region:

Sage Gray

(Pratt & Lambert)

Sea Life

(Pratt & Lambert)

Dynasty Green

(Sears)

Similar hues other than the ones mentioned above must be approved by the Grand Resource Area Manager.

Ambra Oil and Gas Company Well No. 9-3 Section 9, T. 20 S., R. 23 E. Grand County, Utah Lease U-42223

Supplemental Stipulations

1) Adequate and sufficient electric/radioactive logs will be run to locate and identify anticipated coal beds in the Dakota formation. Please also provide two copies of drilling logs. Casing and cementing programs will be adjusted to eliminate any potential influence of the well bore or productive hydrocarbon zones on the coal resource. Surface casing program may require adjustment for protection of fresh water aquifers.

ADDITIONAL STIPULATIONS FOR PRODUCTION FACILITIES

Your Application for Permit to Drill also included a submittal for production facilities. These production facilities are approved for the lessee and his designated operator under Section 1 of the Oil and Gas Lease with the following conditions:

- (1) The oil and gas measurement facilities must be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy are to be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. Please provide this office with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports are to be submitted to the Salt Lake City District Oil and Gas Supervisor. Royalty payments will be made on all production volume as determined by the meter measurements or the tank measurements. All measurement facilities must conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.
- (2) Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs must be housed and/or fenced.
 - (3) All disturbed areas not required for operations will be rehabilitated.
- (4) All produced liquids must be contained including the dehydrator vent/condensate line effluent. All production pits must be fenced.
- (5) The well activity, the well status and the date the well is placed on production must be reported on Lessee's Monthly Report of Operations, Form 9-329.
- (6) All off-lease storage, off-lease measurement, or commingling on lease or off-lease must have written approval.
- (7) All product lines entering and leaving hydrocarbon storage tanks must be locked/sealed.
- (8) You are reminded of the requirements for handling, storing, or disposing of water produced from oil and gas wells under NTL-2B.
- (9) All materials, trash, junk, debris, etc. not required for production must be removed from the well site and production facility site at the completion of these operations.
- (10) A copy of the Gas Sales Contract will be provided to this office and the Royalty Accounting Department as directed.
- (11) Construction and maintenance for surface use approved under this plan should be in accordance with the surface use standards as set forth in the BLM/GS Oil and Gas Brochure entitled, "Surface Operating Standards for Oil and Gas Exploration and Development." This includes, but is not limited to, such items as road construction and maintenance, handling of top soil and rehabilitation.
- (12) "Sundry Notice and Reports on Wells" (form 9-331) will be filed for all changes of plans and other operations in accordance with 30 CFR 221.58. Emergency approval may be obtained verbally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alternations of facilities, including roads, gathering lines, batteries, measurement facilities, etc., will require the filing of a suitable plan and prior approval by the survey.

<u>Grasses</u>		lbs/acre
Hilaria jamesii Sporobolus airoides	Galleta (Curlygrass) Alkali sacaton	2 2
<u>Forbs</u>		
Aster chilensis Helianthus annuus	Pacific aster Common sunflower (Kansas sunflower)	.5 .5
Spahaeralcea coccinea	Scarlet globemallow	.5
Shrubs		
Eurotia lanata	Winterfat (Whitesage)	1 6.5 lbs/acre

Broadcast seed will be applied at double the above rate.

Seeding will be done in the fall of the year (Oct. - Dec.)

OPERATOR AMBRA OIL & GAS CO	DATE 3-24-53
WELL NAME	
SEC SENTY T 205 R 235 COUNTY	SAMO
	EO F LEASE
POSTING CHECK OFF:	
INDEX	
NID PI	
MAP	
PROCESSING COMMENTS:	DE DISTANCE
FROM BOUKBARY & LEASE	
tot /	
APPROVAL LETTER:	
SPACING: UNIT c-3-a	102-16/8 11-15-79 CAUSE NO. & DATE
c-3-c	
SPECIAL LANGUAGE:	

	RECONCILE WELL NAME AND LOCATION C	N APD AGAINST SAME DATA ON PLAT MAP.
V	AUTHENTICATE LEASE AND OPERATOR IN	FORMATION
	VERIFY ADEQUATE AND PROPER BONDING	FED M-046557
	AUTHENTICATE IF SITE IS IN A NAMED	FIELD, ETC.
	APPLY SPACING CONSIDERATION	
	ORDER	
	UNIT	*
	c-3-b	
	с-3-с	
4	CHECK DISTANCE TO NEAREST WELL.	
	CHECK OUTSTANDING OR OVERDUE REPOR	TS FOR OPERATOR'S OTHER WELLS.
4	IF POTASH DESIGNATED AREA, SPECIAL	LANGUAGE ON APPROVAL LETTER
4	TF IN OIL SHALE DESIGNATED AREA, S	PECIAL APPROVAL LANGUAGE.

March 24, 1983

Ambra Oil & Gas Company 47 West 200 South, Suite 510 Salt Lake City, Utah 84101

RE: Well No. Cisco SS-9-3

SENW Sec. 9, 20S, R. 23E

2050' FNL, 2100' FWL

Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with the Order issued in Cause No. 102-168 dated November 15, 1979.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Chief Petroleum Engineer

Office: 533-5771 Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-019-31048.

Sincerely,

Norman C. Stout

Administrative Assistant

N66/as

cc: Oil & Gas Operations

Enclosure

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY:_	Ambra	a Oil & Gas Co	mpany		
WELL NAME:	Cisco SS 9	9-3			
SECTION SENW 9	_Township	20S RANGE	23E	COUNTY Grand	
DRILLING CONTRACT	OR Starr	ner			
RIG # 9					. •
SPUDDED: DATE_	5-16-83			:	· · · · ·
TIME	2:00 PM				· · · · · · · · · · · · · · · · · · ·
How	Rotary	:	•		
DRILLING WILL COM	MENCE		_		
REPORTED BYL	inda (·		
TELEPHONE #5	32-6640		·		
· ·					
					· (
DATE 5-1	7-83		SIGNED	AS	

NOTICE OF SPUD

Company: ambra C	lil & Sas
Caller: Linka C	onde.
Phone: 533-66	
Well Number: Cisas S	5 9-3
Location: SE/y NW/4 Sec	9 T. 20 S R. 23E
County: Stand	State:
Lease Number:	2 <u>3</u>
Lease Expiration Date:	<u> </u>
Unit Name (If Applicable):	
Date & Time Spudded: 5-16-	83 2:00P.M.
Dry Hole Spudder/Rotary:	
Details of Spud (Hole, Casing, Co	ement, etc.) <u>//" kole</u>
Rotary Rig Name & Number:	uner Drilling #9
Approximate Date Rotary Moves In	:5-14-83
•	H SUNDRY NOTICE
FOLLOW WIT	n 30 N D K i ii o
Call Received By: Carily	
Date: <u>5-17-8</u>	

cc: Well file UTSt. Clif & Lasy Bim, Veral TAT

Form 9-330 (Kev. 5-68)	1	UNI A ID :	STATES	SUBMIT IN	DUPLICATE.	Form Budge	approved. t Bureau No. 42-R355.6.
	DEPARTI			TERIOR	structions	on Brain	TION AND SERIAL NO.
***		EOLOGICA			reverse aid	'E' 1	
-1	,	<u> </u>			1	U-4223	OTTEE OR TRIBE NAME
WELL CO	MPLETION C	OR RECOM	PLETION F	REPORT, AN	D LOG*	NA E	
1a. TYPE OF WEL		GAS X		Other		7. UNIT AGREEME	NAME
b. TYPE OF COM		- WED 4	<i>7</i> 2. C.			ÑΑ	
NEW X	WORK DEEP-	PLUG BACK	DIFF.	Other		S. FARM OR LEAST	
2. NAME OF OPERAT	OR				1 2	Inland F	uels = = :
Ambra Oil	& Gas Company	у		4 1	. 1	Gisco SS	
3. ADDRESS OF OPE						10. FIELD AND PO	OL. OR WILDCAT
47 W. 200	S., Suite 510	O Salt Lal	ce City, U	r 84101	te)*		Cisco Area
4. LOCATION OF WE	LL (Report tocation	crearry and the act	,5, 64				OR BLOCK AND SURVEY
		050' FNL, S	SEŁ NWŁ			OR AREA	칠 상황 성황철
At top prod. Int	erval reported below	*		id E	1	Sec. 9,	T20S R23E
At total depth,	*						113. STATE
			14. PERMIT NO.		ISSUED	12. COUNTY OR PARISH	Utah
-			43-019-3	1 4/2	22/83	B. RT. CR. ETC.) 19.	
15. DATE SPUDDED	h		5/83		794' GL		
5/16/83 20. TOTAL DEPTH, MD	5/19/83	ACK T.D., MD & TV	D 22. IF MUL	TIPLE COMPL.,	23. INTERVAL	B ROTARY TOOLS	CABLE TOOLS
2120'			HOM N	ANT C	DRILLED I	" 0-2120'	<u> </u>
24. PRODUCING INTER	IVAL(S), OF THIS CO	MPLETION-TOP.	OTTOM, MANE (X	AD AND TVD)*	UIVI	SIUM OF THE	25. WAS DIRECTIONAL SURVEY MADE
Brushy Bas	4 m	di di			1.0	今 7 別官主義主任	No
	1				· • •	- 127	WAS WELL CORED
26. TYPE ELECTRIC A	•	[**					No
Dual Induc	tion Compens	sated Dens	ty, Compu	ter Analyzed ort all atrings vet in	13 Cement	Bond) 1"	4 4
CABINO BIZE	WEIGHT, LB./FT.			LE 612E		NG RECORD	AMOUNT PULLED
8-5/8"	24	1771		11" 80) sx Class	. G	
42 11	102	21201	6-3	3/4" 135	5 EX Class	s G	
!				, F	1	11	<u> </u>
			l l			5 17 11	1 , 1 p
29.		NER RECORD			30.	TUBING RECORD	PACKER SET (MD)
	TOP (MD) B	OTTOM (ND)	ACRE CEMENT	SCREEN (MD)	2-3/8"	2000	None
NA .		- 2			2-3/8	200	
31. PERFORATION REC	ORD (Interval, size	and number)		82. AC	ID, SHOT, FRA	CTURE, CEMENT SQ	UEEZE, ETC.
		¥.		DEPTH INTERVAL	L (MD)	AMOUNT AND KIND OF	MATERIAL USED
1957' - 196		<u>.</u>		NA		j+	
2012 - 20	85' 2 JSPF 15' 2 JSPF	4					-
2012 - 20		Æ. •					
	4.		DBOY	OUCTION			:
R3.* DATE FIRST PRODUCT	ION PRODUCT	ION METHOD (Flo		emping—size and t	ype of pump)	WELL STAT	UB (Producing or
6/6/83		lowing		,		ahut-in)	Shut-in
DATE OF TEST	HOURS TESTED	CHOKE SIE	PROD'N, FOR	OIL-BBL.	GAS-NCF.	WATER-BBL.	GAS-OIL RATIO
6/6/83	3 hr	20/64	TEST PERIOD		350		
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR BATE	OIL—BBL.	GASXCF.	WAT	LR—BBL. OIL	GRAVITY-API (CORE.)
	720	<u> </u>	<u> </u>		<u> </u>	TEST WITHERED	RT
84. DISPOSITION OF G	AB (Sold, used for fu	ei, vented, etc.)		•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		H. T. Carlotte
Vented 35. List of ATTACH	MENTS	4				J. Kirk	pey
Electric L	환	¥.			1		
36. I hereby contify	that the foregoing s	ind attached info	rmation is comp	lete and correct as	determined fro	om all available record	8
X:	da Cond	0					une 7. 1983
SIGNED ()VV	THE TOTAL	<u> </u>	TITLE P	roduction Ma	maker	DATE _V	<u> </u>

NSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State ageacy, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24 and 32 below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation in the thing summary record is submitted, be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see Item 35. or Federal office for specific instructions.

Hern 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Herns 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 24 and in item 24 show the producting interval continued in the interval reported in item 83. Submit a separate report (page) on this form, adequately identified, for each additional lateryal to be exparately produced, showing the additional data pertinent to such interval.

Hern 29: "Sacks General": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hern 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.) or Federal office for specific instructions.

		200 VERT. DETT	
		A COLUMN A C	-,-
	ARKERS		
	GROLOGIC MARKERS		<u>-</u> .
	90	ved I foregoe e favo de Berne de la	
	e e		
· · · · · · · · · · · · · · · · · · ·	TBETE, INCLUDING		
	ALL DRILL-BYBM		
A CARRAGE	OE P	8 Term a series of Agery 2 18 to 1 to 1 to 2 to 2 to 2 to 2 to 2 to 2	
	D INTERACLS	201745 3 27.	
24.4	AND	The state of the s	i 3
.697	THE PRESENCE	THE PARTY OF THE P	ि हें
	AND CONTENT	NOTAL VIOLES	
C)	T- POROSITY TON USER, T		
	S ZONES:	1580 5 2048 2 2120 5	
· , · · · · · · · · · · · · · · · · ·	SUMMARY OF POROUS ZONES. SIOW ALL IMPORTANT ECNES OF POROSITY AND CONTENTS THEREOF: DEFTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING	9 ri	
	MMARY C SHOW AL DEPTH IN	Mancos Shale Dakota Brushy Basin TD	• :
	21 . 12	Mancos Dakota Brushy Salt We	

De not use this form for p

1. Type of Well 2. Name of Operator

3. Address of Operator

QQ, Sec, T., R., M.

Approximate Date Work Will Start

Other

5. Location of Well Footage

	STATE SEUTAH PARTMENT OF NATURAL RESOURC VISION OF OIL, GAS AND MININ	***	Lease Designation and Serial Number U~ 4223 7. Indian Allottee or Tribe Name
s use this form for proposals to a	IOTICES AND REPORTS Of THE NEW Wells, detected and present the contract of the PRESENTATION FOR PERMIT — FOR ALCH THOPS	nter purged and abandoned wells.	8. Unit or Communitization Agreement
e of Well Oil Gas Well Well	Other (specify)		9. Well Name and Number
	SHA OIL & GAS CO. VEST 300 SOUTH, #2867 N.		10. API Well Number
ress of Operator SALT	LAKE CITY, UTAH 84101	4. Telephone Number 532-6640	11. Field and Pool, or Wildcat
	VW40/52.9, 7.20		: UTAH
NOTIC	PRIATE BOXES ROUNDICATEN/ E OF INTENT t in Duplicate)	SUBSE	OHT OR OTHER DATA QUENT REPORT Original Form Only)
Abandonment Casing Repair Change of Plans Conversion to Injection Fracture Treat Multiple Completion Other	New Construction Pull or Alter Casing Recompletion Shoot or Acidize Vent or Flare Water Shut-Off	Abandonment * Casing Repair Change of Plans Conversion to Injection Fracture Treat Other	New Construction Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off

Date of Work Completion

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

JAN 1 3 1992

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

Must be accompanied by a cement verification report.

DIVISION OF OIL GAS & MINING

14. I hereby certify that the	foregoing is true and correct				
, ,	·/			_	/ /
Nega & Signature	-K 1/-		Title	ADMINISTRATOR	011/2/57
	my		. 1149	/ IDM IOIS/ICH DE	_ Date ///3/92
(Sich Use Only)					
		• !			



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Moab District 82 East Dogwood, Suite M Moab, Utah 84532

3107 (U-32574) (U-42223) (U-44440) ~ (UT-065)

APR 1 9 1995

CERTIFIED MAIL-RETURN RECEIPT REQUESTED Certified No. Z 003 584 737

Dr. Henry Mazarow Ambra Oil and Gas Company 209 West 21st Street Lorain, Ohio 44052-4709

Re:

Temporary Abandonment/Lack of Production

All Wells

Leases U-32574/U-42223./U-44440

Grand County, Utah

Dear Mr. Mazarow:

We have received your requests for approval of temporary abandonment (TA) status for all of the wells (listing of 22 wells enclosed) on oil and gas leases U-32574, U-42223 and U-44440.

These leases are all in their extended term by reason of production. As such, each lease must have at least one well that is capable of production in paying quantities or the lease will terminate. Wells that are TA are clearly not capable of production, thus they will not hold a lease in its extended term. We are, therefore, unable to approve TA status for these wells. Incidentally, TA approvals were granted for many of these wells in the past with the caution that further approvals would be unlikely.

In view of the foregoing, we have determined that the subject leases are not capable of production in paying quantities. You are allowed until July 31, 1995 to initiate bona fide efforts to reestablish production in paying quantities on each lease (the normal time allowance to reestablish production is 60 days, but we have extended that time since you have three leases to address). These efforts may include well testing, workover, or new drilling operations. A lease shall not terminate as long as efforts are pursued on that lease in a diligent manner until paying production is restored. Diligent operations are those operations deemed necessary by an operator who is seriously attempting to reestablish production in paying quantities.

Please be advised that workover activity necessary to place the existing well in production may require prior approval from this office as required by 43 CFR 3162.3-2. Drilling of a new well to reestablish production in paying quantities will require the submittal of an application for permit to drill. Well testing is necessary to prove that a well is physically capable of production in paying quantities and shall be of a method and duration acceptable to the Bureau of Land Management (BLM), Moab District petroleum engineer. Ambra must notify this office at least 24 hours in advance of conducting the well test so that a BLM representative can be present. Well test data may not be accepted unless this office has had the opportunity to witness the well test.

We anticipate Ambra's earliest response in this matter. If acceptable economic data indicating that each of these leases is capable of production in paying quantities is presented to this office in a timely manner, this lease termination action can be avoided. Otherwise, failure to initiate diligent efforts by July 31, 1995, will result in lease termination. Be advised that copies of this letter are being distributed to all operating rights holders.

In addition to the requirements outlined above, we must work toward eliminating TA wells. We are deeply concerned about the number of non-producing wells your company operates. Of your 23 wells, our records indicate that only one is currently producing. Most of these wells have not produced in five years and several have not produced for ten years. We feel that a number of these wells are depleted and should be plugged.

By September 30, 1995, you must take action on at least three wells, in addition to reestablishing production on each lease. This can be accomplished by resuming production or by plugging wells.

In summary, by July 31, 1995, you must reestablish production on each of the subject leases or face lease termination. And, by September 30, 1995, you must either resume production or plug at least three other wells.

We will retain your sundry notice requests on file. Provided you show a good-faith effort by complying with the above stated requirements, we will approve your remaining TA requests. Should you fail to comply with the requirements of this letter, we will be forced to issue plugging orders for all remaining wells on the subject leases.

You may request a State Director Review of this action in accordance with 43 CFR 3165.3. Such a request, including all supporting documentation, must be filed in writing within twenty working days of the date of receipt of this correspondence with:

State Director
Bureau of Land Management
Consolidated Financial Center
P. O. Box 45155
Salt Lake City, Utah 84145-0155

Such request shall not result in a suspension of the action unless the reviewing official so determines.

Should you have any questions regarding this letter, please call Eric Jones of this office at (801) 259-6111. Please keep us apprised of all of your diligent field operations.

Sincerely,

/S/ WILLIAM C. STRINGER

Associate District Manager

Enclosure
List of Wells (1p)

cc:

Michael Doolin (w/Enclosure)
47 West 200 South, #430
Salt Lake City, Utah 84101
Propetroco, Inc. (w/Enclosure)

P. O. Box 283 Moab, Utah 84532

UT-068, Grand Resource Area (w/Enclosure) UT-922, Utah State Office (w/Enclosure) UT-942, Utah State Office (w/Enclosure)

bc:

UT-065, Eric Jones (w/Enclosure)

AMBRA OIL AND GAS COMPANY WELLS FOR WHICH TA STATUS WAS REQUESTED 3/15/95

U-32574 Browndirt No. 1 Browndirt No. 2 Browndirt No. 5 Levon No. 1 Levon No. 3	<u>Sec</u> 14 14 14 11	Twp 20S 20 20 20 20	Rnq 23E 23 23 23 23 23
U-42223 9-3 10-2 11-5 11-8B 23-4 23-8 23-10 23-14 23-15	9 10 11 11 23 23 23 23 23	20 20 20 20 20 20 20 20 20	23 23 23 23 23 23 23 23 23 23
U-44440 14-2 14-3 14-1-80-A 15-4 23-1 23-1C 15-2	9 14 14 14 15 23 23	20 20 20 20 20 20 20 20 20	23 23 23 23 23 23 23 23 23

Form 3160-5 UN. (June 1990) DEPARTMEN BUREAU OF	PORM APPROVED Budget Buress No. 1004-0135 Expires: March 31, 1993	
		5. Lease Designation and Serial No. U-42223
SUNDRY NOTICES Do not use this form for proposals to di Use "APPLICATION FO	6. If Indian, Allones or Tribe Name N/A	
SUBMIT	7. If Unit or CA, Agreement Designation	
1. Type of Weil	N/A	
Cil Gas Well Other 2. Name of Operator	8. Well Name and No. Cisco SS 9-3	
Saturn Resources Corpora	tion	9. API Well No.
3. Address and Telephone No.		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Thompson Springs, UT 845 4. Locates of Well (Footage, Soc., T., R., M., or Survey D	40 (801) 285-2228	10. Field and Pool, or Exploratory Assa Greater Cisco Are
Sec. 9, T205 R23E		II. County or Parish, Sum Grand, Utah
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACT	TION
Notice of Intent	Abendonment	. Change of Plans
Subsequent Report	Recompletion Plugging Back	New Construction Non-Routine Fracturing
Final Abandonment Notice	Casing Repair	Water Shut-Off Conversion to Injection.
Notice of Change of	Other	Dispose Water
Operator	!	(Note: Report results of multiple compinions on Well Compinion or Retempletees Report and Log form.)
 Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true verti 	Ill pertinent details, and give pertinent dates, including estimated date of call depths for all markers and zones pertinent to this work.)*	
De Autora 13, 1 d l	SELF-CERTIFICATION STATEM	
of Well No. Cisco SS 9-3 U-42223, Grand	sources Corporation is consid , SE%, NW% , Sec. 9, T.20, County, Utah, and is responsi for the operations conducted o	S., R. 23 E., Lease ble under the terms and the leased lands.
	all is provided by Bond No)70841 CMZ is provided for in
This office will hold the provisions of 43 CFR 3106	aforementioned operator and .7-2 continuing responsibilit	bond liable until the y are met.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, ficticious or fraudulent statement or representations as to any matter within its jurisdiction.

Title Chief Financial Officer

Associate District Manager

Saturn Resources Corporation Well No. 9-3 Sec. 9, T. 20 S., R. 23 E. Lease U-42223 Grand County, Utah

CONDITIONS OF APPROVAL

Please be aware that an order has been issued (copy attached) requiring the reestablishment of production on this lease by July 31, 1995. Failure to comply will result in lease termination.

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Saturn Resources Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0841 (Principal - Saturn Resources Corporation) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43 CFR 3106.7-2 continuing responsibility are met.



DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt Governor Ted Stewart Executive Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 James W. Carter Division Director 801-359-3940 (Fax) 801-538-5319 (TDD) 801-359-3940 (Fax)

May 30, 1995

Thomas Spear Saturn Resources Corporation 7675 North 35th Street Boulder, CO 80302

Cisco SS 9-3 & TXO Springs 9-1 Section 9, Township 20 Re: South, Range 23 East, Grand County, Utah, API No.(s) 43-019-31048 & 43-019-30713, "Ambra Oil & Gas Company to Saturn Resources Corporation".

Dear Mr. Spear:

In reviewing the operator change for the referenced wells, it was determined that your company is not currently registered with the Utah Department of Commerce. This letter is written to advise you of your responsibility to register your company with the This can be state prior to conducting business within Utah. accomplished by contacting:

> Department of Commerce Division of Corporations 160 East 300 South Salt Lake City, Utah 84111 (801) 530-4849

> > Sincerely,

Lisha Cordova Admin. Analyst

cc:

Lynn Dempsey (Thompson Springs, UT & Plano, TX) Dept. of Commerce D.T. Staley R.J. Firth Operator File(s) Correspondence File/ldc



	of Oil, Gas and Mining OR CHANGE HORKSHEET	Routing:
	ll documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	2 LWP 8-SJ 3 PT 59-FILE 4 VLC
	ge of Operator (well sold) Graph Designation of Agent Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator Graph Operator	5-RJF / 6-LWP /
The op	erator of the well(s) listed below has changed (EFFECTIVE DATE:	_ 5-9-95)
TO (ne	(address) 7675 N 35TH ST BOULDER CO 80302 C/O THOMAS SPEAR (address)	AMBRA OIL & GAS COMPANY 48 W 300 S #307 N SALT LAKE CITY UT 84101-200 phone (801) 532-6640 account no. N0030
Hell(s	(attach additional page if needed):	
Name: Name: Name: Name: Name:	CISCO SS 9-3/BRBSN API: 43-019-31048 Entity: 2275 Sec 9 Twp TXO SPRINGS 9-1/MRSN API: 43-019-30713 Entity: 2255 Sec 9 Twp API: Entity: Sec Twp API: Entity: Sec Twp API: Entity: Sec Twp API: Entity: Sec Twp API: Entity: Sec Twp API: Entity: Sec Twp API: Entity: Sec Twp	20SRng 23E Lease Type: U44440 Rng Lease Type:
OPERATO	OR CHANGE DOCUMENTATION	
/	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been	
<u>Lc3.</u>	(Attach to this form). (kd 5-19-95) The Department of Commerce has been contacted if the new operating any wells in Utah. Is company registered with the yes, show company file number: #1550le. (keroked H-93) (Letter	tor above is not currently state? (yes no) If Mailed 5-30-95)
LC4.	(For Indian and Federal Hells ONLY) The BLM has been contact (attach Telephone Documentation Form to this report). Mak comments section of this form. Management review of Federal changes should take place prior to completion of steps 5 through	e note of BLM status in and Indian well operator h 9 below.
<u>Le</u> 5.	Changes have been entered in the Oil and Gas Information Syste listed above. (5-30-95)	m (Wang/IBM) for each well
Luf 6.	Cardex file has been updated for each well listed above. 521.95	-
Lup 7.	Well file labels have been updated for each well listed above.3	31-95
<u>Le</u> 8.	Changes have been included on the monthly "Operator, Address, for distribution to State Lands and the Tax Commission. (5.30.95)	and Account Changes" memo
<u>Le</u> 9.	A folder has been set up for the Operator Change file, and a placed there for reference during routing and processing of the	copy of this page has been original documents.

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. We entity changes made? (yes no) (If entity assignments were changed, attach copies Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures entity changes.
BOND VERIFICATION (Fee wells only)
NA/1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date19 If yes, division response was made by lett dated19
LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has be notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases.
TLMING
1. All attachments to this form have been microfilmed. Date: June 19 19 85
ILING
1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operato Change file.
OMMENTS
950530 Unable to confect " limbre 006" phone meil full from 5-19 to 5-30. (Su Elm agr

WE71/34-35

- AUG =_1-96 THU 8:5	8 WOUR MIKTOT OLLTON	-EHV MOY OUTEN		
form 3100-5 November 1983) Forms(1y 9-331)	UNITED STATES PARTMENT OF THE INTERI		Form approved. Budget Bureau No. 1 Expires August 31, 1 6. LEASE PRESENTION AND 6	985
	BUREAU OF LAND MANAGEMENT		S. IF EMPLAN, ALLONTON ON T	SIRE NAME
SUNDRY (Do not we thin form	NOTICES AND REPORTS Of First Proposale to drill by the despera of place by "APPLICATION FOR PERSENT." For such per	ON WELLS act to a different sweeppoir. opomis.		
			7. UNIT AGREEMENT NAME	
MELC WELL WELL MELL MELL	OT\$53	· · · · · · · · · · · · · · · · · · ·	REAL OF WARE HAVE	
Ed Con	Fores and LLC.		9-3 9-5- 9	-6
ADDRESS OF OPERATOR	1016 111	ann	9. WELL NO.	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
510 W, 35	,60 S, 35LC Ut.	84112	43-019-31048	-31085 -311
See also space 17 below.) At surface	T205 R23 E Sec 9	Belles tedaricmenter.	10. FIRED AND FOOD, OR WIL	
24 • • • • • • • • • • • • • • • • • • •	1205 1202 000		11. ERC., T., B., W., OF SCH. A	~~
9-3 SE/N/W	9-55W/NW 9-(0 N	IE/SW	T2-6 2 22 F	6. 6
		,	1205 K23E	- SPC 7,
4. PERSILT NO	15. TERVATIONS (Show whether Dr.	, BT, QA, (CC.)	12. COUNTY OF PARISE 18.	1.1
· · · · ·			1 Crand	<u>vtb</u>
s. (heck Appropriate Box To Indicate N	- •		
FOTIC	or intention to:	SUB-RQU	DRKT EBFORT OF:	
TEST WATER BECT-OFF	FULL OR ALTER CATING	WATER CHUT-OFF	SEPARENG WELL	[]
FRACTURE TREAT 6HOOT OR ACIDIZE	ABANDON*	FRACTURE TREATMENT BROOTING OR ACLDIZING	TEAMNOONMENT*	
REPAIR WALL	CHANGE PLANS	(Other)		
(0(6+1)		(Nort: Report results Completion or Recompt	of multiple completion on Welction Report and Log form.)	<u> </u>
proposed work. If well nent to this work.) "	PLETED OPERATIONS (Clearly state all pertioning in directionally drilled give subsurface locat		er gebres tat in matetes sog	wood belti-
Tales &				
raicon inera	15 taking over o	operations of the abo	ve captioned well.	
Falcon Energy	y LLC is taking over of the perations conducted on the	under the terms and c leased lands or port	onditions of the ions thereof.	
	ge for this well will be p			
	3	•		*
				-
		MECEI	VEM:	7
		W\\\		
		AUG 2 2	1996	7.4
			1 1 3	فير
		DIV. OF OIL, GAS	& MINING	
		DIV. OF OIL, UNO	7	<u>.</u>
5. I hereby certify that the s	oregoing is kill and correct			* 1
SIGNED LOGICE		od. Manager	DATE Aug. 1	1996
(This space for Federal or	d D Palmer		P 7	
APPROVED BY		nt Field Manager,	DATE	
CONDITIONS OF APPRO	TAL IF ANT: CONDITION	SOFMAPPROVALATIA	VOLICE	
	1175110	YOU THE NOVAL ATTA	HUHEU	

*See Instructions on Reverse Side

Falcon Energy, L.L.C Well No. Federal 9-3, 9-5, 9-4 Sec. 9, T. 20 S., R. 23 E. Emery County, Utah Lease UTU42223

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Falcon Energy, L.L.C. is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased land.

Bond coverage for this well is provided by BLM Bond UT1049 (Principle - Falcon Energy, L.L.C.) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

OPERATOR _	SATURN RESOURCES CORP	OPERATOR	ACCT.	NO.	N	1090
ADDRESS						

ACTION CODE	CURRENT	NEW ENTITY NO.	API NUMBER	WELL NAME	70	sc	WELL TP	LOCATIO RG	COUNTY	SPUD Date	EFFECTIV DATE
D	2275	11809	43-019-31048	CISCO SS 9-3	SENW	9	208	23E	GRAND	DATE	5-9-95
ELL 1 C	OMMENTS:	LODED III	1	05 (AMD) 1140 0 000000 1201					<u>.</u>		
	•	SUPER FR	АМВКА ЕГГ Э-У-	95 (AMBRA HAS 2 OTHER WELI	LS UNDER E	NITIX	22/5)	•			· :
ELL 2 C	LOMMENTS:	<u>!</u>	!			<u> </u>					
	·	T		·	· · · · · · · · · · · · · · · · · · ·	T	· r				·
									[4		
ELL 3 C	UMMENTS:					·					
ELL 4 C	UMMENTS:	<u>-!</u>				·			· · · · · · · · · · · · · · · · · · ·		
	,	1	<u> </u>		· 	· ·		 	1		1
											•
ELL 5 C	OHHENTS:			,					***************************************		
			-	.~				•	٨		
	0.000 10 1				'					9/	
A	 Establish 	new entity	on back of form) for new well (sin	gle well only)					L. CORDOVA	(DOGM)	
C D	- Re-assign - Re-assign	well from well from	ting entity (group one existing entit one existing entit ownents section)	y to another existing entity		~			ADMIN. ANAL	YST	8-31-95 Date
		•		action Code was selected.	•				Plione No. (· · · · · · · · · · · · · · · · · · ·	
(3/89)			•						*******		

Division of	(Nil	Cas	and	Mining
PALL SPECIAL CI	~…,	~~~		AATITOORS.

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.

Routing:	
1-100	6-4-5
2-GLH	7-KDR/
3-D75 015	8-SJ V
4-VLD	9-FILE
5-RJF	

	•		5-RJF
	• • •	gnation of Agent rator Name Change Only	
The	operator of the well(s) listed below has change	d, effective: 8-1-96	_
то:	(new operator) FALCON ENERGY LLC (address) 510 W 3560 S SALT LAKE CITY UT 84115	_ FROM: (old operator) _ (address)	SATURN RESOURCES CORP. PO BOX 40008 THOMPSON SPRING UT 84540
	WAYNE STOUT	_	LYNN DEMPSEY
	Phone: (801)269-0701/DOUG	POWELSON	Phone:
	Account no. N6710	- -	Account no. N1090
WEI	LL(S) attach additional page if needed:		
Name Name Name Name Name Name	CISCO SS 9-3/BRBSN API: 43-019-31048 INLAND FUELS 9-5/MRSN API: 43-019-31085 INLAND FUELS 9-6/MRSN API: 43-019-31142 API: API: API:	Entity: 11809 S 9 T Entity: 8218 S 9 T Entity: 8218 S 9 T	20S R 23E Lease: UTU44440 20S R 23E Lease: UTU42223 20S R 23E Lease: " 20S R 23E Lease: " R Lease: Lease: Lease: R Lease: Lease: Lease:
* Lic	 (r649-8-10) Sundry or other legal docume (attach to this form). ★ 以n * ble fo /ocade. (r649-8-10) Sundry or other legal document to this form). (fe, /d/8-22-97) 		
N/A	3. The Department of Commerce has been con any wells in Utah. Is the company register file number:		
Lic	4. FOR INDIAN AND FEDERAL WELLS ON Make note of BLM status in comments secti operator changes should ordinarily take completion of steps 5 through 9 below.	on of this form. BLM appr place prior to the division	roval of Federal and Indian well on's approval, and before the
Lic	5. Changes have been entered in the Oil and (8-29-94)	Gas Information System (3	270) for each well listed above.
Icc	6. Cardex file has been updated for each well	listed above. (8-29-96)	
Y.	 completion of steps 5 through 9 below. Changes have been entered in the Oil and 0 (8-29-96) Cardex file has been updated for each well Well file labels have been updated for each 	well listed above. (8-29-9	D
Lic	 Changes have been included on the month distribution to Trust Lands, Sovereign Land 	ly "Operator, Address, an	d Account Changes" memo for
Lic	9. A folder has been set up for the Operator C for reference during routing and processing	Change file, and a copy of to of the original documents	his page has been placed there

OPERATO	OR CHANGE WORKSHEET (continued) - Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEW
<u>Le</u> 1.	(r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) If entity assignments were changed, attach copies of Form 6, Entity Action Form.
<u>N/a</u> 2.	Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.
POND 1	VERIFICATION - (FEE WELLS ONLY)
N/A/1.	(r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
/ Lic 2.	A copy of this form has been placed in the new and former operator's bond files.
3.	The FORMER operator has requested a release of liability from their bond (yes/no), as of today's date If yes, division response was made to this request by letter dated
9/4/qc	Copies of documents have been sent on to at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
FILMIN	G
<u>M</u> 1.	All attachments to this form have been microfilmed. Today's date: 9/18/96.
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
2.	The original of this form, and the original attachments are now being filed in the Operator Change file.
COMME	INTS
<u>9/108</u> 1/108	29 Btm / Meab agn. 8-12-96. 29 Falcon, open cly. + H. 8-196.
	

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

R	OUTING	
1.	DII	A
2	CDW	

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has char	iged,	effectiv	e:			8/1/2006		
FROM: (Old Operator):		TO: (New O ₁	perator):		-			
N0030-Ambra Oil & Gas Company *(N6710) Falo	on E	nergy		N3110-Jurassic Oil & Gas Company				
215 Hillcrest Ave 1137 19 Rd				•	aymond Ro			
Rangely, CO 81648 Fruita, CO	81521	1-9678		Fruit H	eights, UT 8	34037		
Phone: 1 (970) 629-1116				Phone: 1 (303)	887-8122			
CA No.				Unit:				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
CISCO SS 9-3	09	200S	230E	4301931048	11809	Federal	GW	S
INLAND FUELS 9-5	09	200S	230E	4301931085	8218	Federal	GW	S
INLAND FUELS 9-6	09	200S	230E	4301931142	8218	Federal	GW	S
						-	.	
	L						1	1/22:
Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 4. Is the new operator registered in the State of Utah: 5. If NO, the operator was contacted contacted on: 6a. (R649-9-2)Waste Management Plan has been received on: 6b. Inspections of LA PA state/fee well sites complete on: 6c. Reports current for Production/Disposition & Sundries on: 6c. Reports current for Production/Disposition & Sundries on: 6c.								
7. Federal and Indian Lease Wells: Th					oved the r	nerger, na	me chan	ge,
or operator change for all wells listed on Fede	ral or	Indian	leases (on:	BLM_	- 8/8/2006	DIA	=:
8. Federal and Indian Units:				11 12 4 1		-1-		
The BLM or BIA has approved the successor					1:	n/a	-	
9. Federal and Indian Communization						m/a		
The BLM or BIA has approved the operator			The D	within a CA on: Pivision has appi	royad IIIC F	n/a Form 5 Trai	– asfer of A	uthority to
10. Underground Injection Control ("	UIC	")					n/a	demority to
Inject, for the enhanced/secondary recovery u	.nıt/pr	oject ic	or the w	ater disposai we	en(s) nsieu (JII.	II/a	 Y
DATA ENTRY:	50			0/20/2006				
1. Changes entered in the Oil and Gas Database	e on:			8/28/2006				
2. Changes have been entered on the Monthly C	pera	tor Ch	ange S _l	pread Sheet on	: 0	8/28/2006	<u>.</u>	
BOND VERIFICATION: 1. Federal well(s) covered by Bond Number:				UTB000220				
COMMENTS: *Lease holder (Ambra - N0030)	ransf	erred w	hole le			pproval. DO	OGM Ope	rator
of record is Falcon Energy (N6710)								
2/ 1/2								
			0.00					

UNITED STATES DEPARTMENT OF THE INTERIOR PORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007 BUREAU OF LAND MANAGEMENT 5. Lease Serial No. URY NOTICES AND REPORTS ON WELLS UTU 42223 not use this form for proposals to drill or to re-enter an 6. If Indian, Allottee or Tribe Name abandoned well. Use Form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE- Other instructions on reverse side. 7. If Unit or CA/Agreement, Name and/or No. 1. Type of Well Oil Well ✓ Gas Well Other 2. Name of Operator JURASSIC OIL & GAS CO. 8. Well Name and No. 9. API Well No. 3a Address 3b. Phone No. (include area code) 1676 RAYMOND ROAD, FRUIT HEIGHTS, UT 84637 SEE ATTACHED 303-887-8122 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 10. Field and Pool, or Exploratory Area GREATER CISCO 11. County or Parish, State Grand County, Utah 12 CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize Notice of Intent Deepen Production (Start/Resume) Water Shut-Off Alter Casing Fracture Trent Well Integrity Subsequent Report Casing Repair New Construction Recomplete ✓ Other CHANGE OF Change Plans Final Abandonment Notice Plug and Abandon Temporarily Abandon OPERATOR Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markets and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Effective on Aug.1, 2006, Ambra Oil & Gas Company sold all their interest and operating rights in Federal Lease UTU 42223 including the wells Elective on (1994), 2008, America On & Company som an electrometric and operating rights in Federal Lease U. 10 742423 including the listed on the attached exhibit. The new owner is Schuster Homes Inc (see attached approved assignment of record title, 100% owned by Schuster Homes Inc.) and their operator is Jurassic Oil & Gas Co., 1976 Raymond Road, Fruit Heights, UT 84037. Jurassic Oil & Gas Co. plans to operate all wells on this lease including these three previously operated by Falcan Energy. Jurassic Oil & gas Co. is responsible under the terms and condidtions of the lease for operations conducted on the lease lands or portions thereof. vil be provided by BLM Bond No. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Linda C. Gordon Title Signature Ų Date THIS SPACE FOR FEDERAL OR STATE OFFICE USE Approved by Division of Resources Conditions of approval, if any, are attached. Approval of this notice does not warrant or

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

certify that the applicant holds legal or equitable title to those rights in the subject lease

which would entitle the applicant to conduct operations thereon

Moah Field Office

Office

EXHIBIT "A" UTU 42223

NELL NAME	WELL#	API#	QTR	SEC	TWP	RANGE	COUNTY	STATE
SLAND FUEL	9-5	43-019-31085 00 S01	SWNW		9 20S	23E	GRAND	HATU
SLAND FUEL	9-6	43-019-31142 00 S01	NESW		9 20S	23E	GRAND	HATU
CISCO SS	9-3	43-019-31048 00 S01	SENW		9 20S	23E	GRAND	HATU

Jurassic Oil and Gas Company Well Nos. 9-3, 9-5 and 9-6 Section 9, T20S, R23E Lease UTU42223 Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Jurassic Oil and Gas Company is considered to be the operator of the above wells effective August 1, 2006, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000220 (Principal – Jurassic Oil and Gas Company) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

of other partners and gotten BLM's approval.

R	OUTING
1.	DJJ
2	CDW

X - Change of Operator (Well Sold)		Operato	or Name (Change/Me	rger	2. CD W		
The operator of the well(s) listed below has char	*		0/27/2007					
FROM: (Old Operator): N3110-Jurassic Oil 215 Hillcrest Ave Rangeley, CO 81648	TO: (New Operator): N3345-Schuster Homes, Inc. 3746 Keefer Rd Chico, CA 95973							
Phone: 1 (970) 629-1116				Phone: 1 (530)	894-0894			
CA No.			,	Unit:	*			· · · · · · · · · · · · · · · · · · ·
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST some wells changed names								
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation w 2. (R649-8-10) Sundry or legal documentation w 3. The new company was checked on the Depart	as rec as rec ment	eived f eived f	rom the	NEW operator , Division of C	on: orporation		<u>3</u> on:	1/16/2008
4a. Is the new operator registered in the State of Utah: 4b. If NO, the operator was contacted contacted on: 5a. (R649-9-2)Waste Management Plan has been received on: 5b. Inspections of LA PA state/fee well sites complete on: 5c. Reports current for Production/Disposition & Sundries on:								
 Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 10/26/2007 BIA Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: 9. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to 							- nthority to	
Inject, for the enhanced/secondary recovery un DATA ENTRY: 1. Changes entered in the Oil and Gas Database 2. Changes have been entered on the Monthly O 3. Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS of 5. Injection Projects to new operator in RBDMS 6. Receipt of Acceptance of Drilling Procedures BOND VERIFICATION:	on: perat n: on:	or Ch	ange Sp	1/16/2008	_	on: 	n/a 	-
 Federal well(s) covered by Bond Number: Indian well(s) covered by Bond Number: (R649-3-1) The NEW operator of any fee we as the Division sent response by letter on: LEASE INTEREST OWNER NOTIFICATION	se of 1	iability	y from tl	heir bond on:	n/a	n/a	- Division	
4. (R649-2-10) The FORMER operator of the fee of their responsibility to notify all interest own COMMENTS:					ned by a le			,

Wells formerly operated by Ambra Oil before Jurassic. Mr. Schuster was partners in both and has taken over duties

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

Earlene Russell, Engineering Technician

	5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST							
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:							
Do not use this form for proposals to drill nee	7. UNIT or CA AGREEMENT NAME:							
1. TYPE OF WELL OIL WELL	8. WELL NAME and NUMBER: SEE ATTACHED LIST							
2. NAME OF OPERATOR: SCHUSTER HOMES INC.	9. API NUMBER: LINHFOD							
3. ADDRESS OF OPERATOR:	10. FIELD AND POOL, OR WILDCAT:							
3746 KEEFER ROAD 4. LOCATION OF WELL	CHICO STATE CA ZIP	95973	(530) 894-0894	GREATER CISCO				
FOOTAGES AT SURFACE:				country: GRAND				
		nesena vertulteare Der VE Gölfet	o Europe Mariement et et et et en europe et	artuski (Marikus etg.) — etg. i in titlet i ett komunik etg.				
QTR/QTR, SECTION, TOWNSHIP, RANG	BE, MERIDIAN:			STATE: UTAH				
11. CHECK APPR	OPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	ORT, OR OTHER DATA				
TYPE OF SUBMISSION		Т	YPE OF ACTION					
NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION				
(Submit in Duplicate)	ALTER CASING	FRACTURE		SIDETRACK TO REPAIR WELL				
Approximate date work will start	CASING REPAIR	☐ NEW CONS		TEMPORARILY ABANDON				
	CHANGE TO PREVIOUS PLANS	OPERATOR PLUG AND		Using Repair Vent or Flare				
SUBSEQUENT REPORT	CHANGE TUBING CHANGE WELL NAME	PLUG BAC		WATER DISPOSAL				
(Submit Original Form Only)	CHANGE WELL STATUS	<u> </u>	` ON (START/RESUME)	WATER SHUT-OFF				
Date of work completion:	COMMINGLE PRODUCING FORMATIONS		RECLAMATION OF WELL SITE OTHER:					
	CONVERT WELL TYPE	RECOMPLI	ETE - DIFFERENT FORMATION					
Effective October 27, 2007, Schuster Homes Inc. took over as operator of all wells previously operated by Jurassic Oil and Gas Company. The new operator is Schuster Homes Inc., 3746 Keefer Road, Chico, CA 95973. Jurassic Oil and Gas relinquishes ownership of all operating rights to Schuster Homes Inc. New Operator/Schuster Homes Inc. Date: Date: Dat								
NAME (PLEASE PRINT) Linda C	Gordon	TI	Production/Roy	alty Report Manager				
SIGNATURE	ela Goral	DA	π _E 1/2/2008					
Ra	hyerey co or or	(970)	639-1116	RECEIVED				
APPROVEI		tructions on Reverse		JAN 0 4 2008				
	ussell	MARAIN OILI/EACISE						
Division of Oil, C	as and Mining		P.Y.	00 00, 242 2 20000				

SCHUSTER HOMES INC ATTACHMENT TO FORM 9

		LE/	ASE UTU32574				
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
BROWNDIRT	1	43-019-30395 00 S01	SWNE	14 20S	23E	GRAND	UTAH
LEVON	1	43-019-30402 00 S01	SENW	11 20S	23E	GRAND	UTAH
BROWNDIRT	2	43-019-30691 00 S01	SENE	14 20S	23E	GRAND	UTAH
BROWNDIRT	5	43-019-31143 00 S01	SWNE	14 20S	23E	GRAND	UTAH
LEVON	3	43-019-31234 00 S01	SENW	11 208	23E	GRAND	UTAH
LLVOIN	J	70 0.0 0.201 00 001					
		LE/	ASE UTU 42223				
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
ISLAND FUEL	23-4 - K	43-019-30950 00 S01	NWNE	23 20S	23E	GRAND	UTAH
ISLAND FUEL		43-019-30998 00 S01	NESE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-10-	43-019-31050 00 S01	SWNE	23 20\$	23E	GRAND	UTAH
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 20S	23E	GRAND	UTAH
FEDERAL	23-15#	43-019-31073 00 S01	SWNE	23 20S	23E	GRAND	UTAH
FEDERAL	10-21	43-019-31049 00 S01	NENE	10 20S	23E	GRAND	UTAH
FEDERAL		43-019-31053 00 S01	NWSE	23 20S	23E	GRAND	UTAH
CISCO SS	11-8B-k	43-019-31147 00 S01	NWNE	11 20S	23E	GRAND	UTAH
ISLAND FUEL	9-5 ★	43-019-31085 00 S01	SWNW	9 20S	23E	GRAND	UTAH
ISLAND FUEL	9-6 ⊀	43-019-31142 00 S01	NESW	9 20S	23E	GRAND	UTAH
CISCO SS	9-3	43-019-31048 00 S01	SENW	9 20 S	23E	GRAND	UTAH
			ASE UTU 44440	OCO TAID	DANCE	COUNTY	CTATE
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	SIAIE
тхо	14-1	43-019-30610 00 S01	swsw	14 20\$	23E	GRAND	UTAH
TXO	15-2	43-019-30690 00 S01	NENW	15 20S	23E	GRAND	UTAH
TXO MESA	23-1 ★	43-019-30693 00 S01	NENW	23 208	23E	GRAND	UTAH
TXO	14-2	43-019-31089 00 S01	SWSW	14 20\$	23E	GRAND	UTAH
TXO	14-3	43-019-31144 00 S01	SWSW	14 20S	23E	GRAND	UTAH
TXO	15-4- x	43-019-30832 00 S01	SESE	15 20S	23E	GRAND	UTAH
TXO	23-1C	43-019-31220 00 S01	NENW	23 20\$	23E	GRAND	UTAH
		· ·	ASE UTU 24606	•			
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
AAFFF IAVIAIF	T T be below #	7412					
FLORIDA EX	25-3 🛪	43-019- 3117 00 S01	NENE	25 20 S	23E	GRAND	UTAH
		31107					

* changed well names on OGIS

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OM B No. 1004-0137
Expires: March 31, 200

5.	Lease Serial No.
	TITTI 42223

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use	this	form	for proposals	to drill or to re-enter an
abandoned	well.	Use	Form 3160-3 ((APD) for such proposals.

6. If Indian, Allottee or Tribe Name

abandoned w	ell. Use Form 3160 - 3	(APD) for such pro	posais.			
SUBMIT IN TR	IPLICATE- Other ins	se side.	7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well Oil Well	Gas Well Other		8. Well Name and No. SEE ATTACHED LIST			
2. Name of Operator SCHUSTER 3a. Address	HOMES INC.	9. API Well No. SEE ATTACHED				
3746 KEEFER ROAD, CHIC 4. Location of Well (Footage, Sec.,		10. Field and Pool, or Exploratory Area GREATER CISCO 11. County or Parish, State				
SEE ATTACHED LIST					COUNTY, UTAH	
12. CHECK A	PPROPRIATE BOX(ES) T	O INDICATE NATUR	E OF NOTICE, R	EPORT, OR	OTHER DATA	
TYPE OF SUBMISSION		ТҮР	E OF ACTION	jete i s		
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (St Reclamation Recomplete Temporarily Al Water Disposal	bandon	Water Shut-Off Well Integrity Other CHANGE OF OPERATOR	
If the proposal is to deepen dire Attach the Bond under which the following completion of the inv	ectionally or recomplete horizont the work will be performed or pro colved operations. If the operation	ally, give subsurface location wide the Bond No. on file w on results in a multiple compl	s and measured and tra ith BLM/BIA. Requiretion or recompletion	ue vertical depths ed subsequent rej in a new interval,	k and approximate duration thereof. of all pertinent markers and zones, ports must be filed within 30 days a Form 3160-4 must be filed once completed, and the operator has	

EFFECTIVE OCT. 22, 2007, SCHUSTER HOMES INC. WILL TAKE OVER AS OPERATOR OF THE ABOVE LISTED WELL. SCHUSTER HOMES INC. IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF.

NEW OPERATOR/SCHUSTER HOMES INC. 10/22/07 DATE	2008 OCT 22 A	MOABFIELD
14. Thereby certify that the foregoing is true and correct Name (Printed/Typed) Stephen J. Schuster, Schuster Horos Inc. Title President Date 10/22/07	iii 25	
Approved by ACCEPTED Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency or section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency or section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency or section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency or section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency or section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency or section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency or section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency or section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and will section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and will section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and will section 1001 and 1001 a	(the U	nited

(Instructions on page 2)

determined that the site is ready for final inspection.)

cc.uDogm

Conditions Attached

RECEIVED

OCT 2 6 2007

Schuster Homes Inc. All Wells on Lease (Well Nos. 9-3, 9-5, 9-6, 10-2, 11-5, 11-8B, 23-4, 23-8, 23-10, 23-14, and 23-15) Lease UTU42223 Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Schuster Homes Inc. is considered to be the operator of the above wells effective October 22, 2007, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000238 (Principal – Schuster Homes Inc.) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" UTU 42223

WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
ISLAND FUEL	23-4	43-019-30950 00 S01	NWNE	23 20\$	23E	GRAND	UTAH
ISLAND FUEL	23-8	43-019-30998 00 S01	NESE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-10	43-019-31050 00 S01	SWNE	23 20S	23E	GRAND	UTAH
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 20S	23E	GRAND	UTAH
FEDERAL	23-15	43-019-31073 00 S01	SWNE	23 20S	23E	GRAND	UTAH
FEDERAL	10-2	43-019-31049 00 S01	NENE	10 20S	23E	GRAND	UTAH
FEDERAL	23-14	43-019-31053 00 S01	NWSE	23 20S	23E	GRAND	UTAH
CISCO SS	11-8B	43-019-31147 00 S01	NWNE	11 20S	23E	GRAND	UTAH
ISLAND FUEL	9-5	43-019-31085 00 S01	SWNW	9 20S	23E	GRAND	UTAH
ISLAND FUEL	9-6	43-019-31142 00 S01	NESW	9 20S	23E	GRAND	UTAH
CISCO SS	9-3	43-019-31048 00 S01	SENW	9 20S	23E	GRAND	UTAH

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET (for state use only)

]	ROUTING
Г	CDW

X - Change of Operator (Well Sold)						Operator Name Change/Merger				
The operator of the well(s) listed below has changed, effective:										
FROM: (Old Operator): N3345- Schuster Homes Inc. 3746 Keefer Rd Chico, CA 95973						TO: (New Operator): N2195- Running Foxes Petroluem Inc. 6855 S. Havana St, Suite #400 Centennial, CO 80112				
		Phone: 1 (720)	-889- 0510							
		Unit:								
SEC TWN	RNG	API NO	ENTITY NO		WELL TYPE	WELL STATUS				
<u> </u>				All Federal						
received from the received from the received on: eived on: ete on: endries on:	om the merce Y	NEW operator , Division of Co Business Numb Not Yet N/A 6/17/2013 has approved the	on: prporations per:	6097088-0143 me change,	RIA					
or Indian ie	eases o	n:	BUM	Not Yet	BIA	_ N/A				
. ,					•					
project for	me wa	iter disposar wer	n(s) nsied o		IN/A	_				
erator Chan n:		read Sheet on: N/A		7/17/201	3					
		UTB 000207								
` '		N/A red by Bond Nu	nmber N/A	N/A						
TION.										
nas been con			y a letter fro	om the Division						
	SEC TWN ATION Treceived from the received on: the on: the one of unit operate eements ('or all wells limit Division of the project for the erator Character Character APD/New well(s) lister of liability for the contraction of the erator Character Characte	ATION TION Treceived from the received from the received from the received on: The received from the received from the received on: The received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received on: The received from the received from the received on: The received from the received from the received on: The received from th	TO: (New O N2195- Runnin 6855 S. Havan Centennial, CO Phone: 1 (720) Unit: SEC TWN RNG API NO TION TION Treceived from the FORMER operator of Commerce, Division of Cotal: Y Business Numbered on: Not Yet et e on: N/A 6/17/2013 Mand or the BIA has approved the lor Indian leases on: Of unit operator for wells listed on: Division has approved UIC For project for the water disposal well erator Change Spread Sheet on: N/A N/A- no State/for N/A Transcription on: UTB 000207 N/A well(s) listed covered by Bond Not of liability from their bond on: ATION:	TO: (New Operator): N2195- Running Foxes Pe 6855 S. Havana St, Suite # Centennial, CO 80112 Phone: 1 (720) -889-0510 Unit: SEC TWN RNG API NO ENTITY NO ATION Freceived from the FORMER operator on: Freceived from the NEW operator on: Freceived from the NEW operator on: Freceived from the NEW operator on: Freceived on: Freceived on: Freceived from the NEW operator on: Freceived on: Freceived from the NEW operator on: Freceived on: Freceived from the NEW operator on: F	TO: (New Operator): N2195- Running Foxes Petroluem Inc. 6855 S. Havana St, Suite #400 Centennial, CO 80112 Phone: 1 (720) -889-0510 Unit: SEC TWN RNG API NO ENTITY LEASE TYPE NO All Federal ATION Serecived from the FORMER operator on: Preceived from the NEW operator on: All Federal ATION Serecived from the NEW operator on: All Federal ATION Serecived from the NEW operator on: All Federal ATION Serecived from the NEW operator on: All Federal ATION Serecived from the NEW operator on: All Federal ATION: All Federal ATION: All Federal ATION: All Federal All Federal ATION: All Federal All Federal	TO: (New Operator): N2195- Running Foxes Petroluem Inc. 6855 S. Havana St, Suite #400 Centennial, CO 80112 Phone: I (720) -889-0510 Unit: SEC TWN RNG API NO ENTITY LEASE TYPE WELL NO All Federal ATION Sereceived from the FORMER operator on: 7/15/2013 Genet of Commerce, Division of Corporations Database on: 6097088-0143 Eleved on: Not Yet eleved on: Not Yet eleved on: Not Yet eleved on: Not Yet eleved on: BLM Not Yet BIA Of unit operator for wells listed on: M/A Division has approved UIC Form 5 Transfer of Authority to hyproject for the water disposal well(s) listed on: N/A Erator Change Spread Sheet on: N/A N/A no State/fee wells N/A				

Schuster Homes Inc (N3345) to Running Foxes Petroleum Inc (N2195) Effective 31-March-2013

					Utah	Lease		Well
Well Name	Sec.	Twnshp	Range	API No.	Entity No.	Type	Well Type	Status
BROWNDIRT 1	14	200S	230E	4301930395	2230	Federal	Gas Well	Shut-in
BROWNDIRT 2	14	200S	230E	4301930691	2230	Federal	Gas Well	Shut-in
BROWNDIRT 5	14	200S	230E	4301931143	9292	Federal	Gas Well	Shut-in
LEVON 1	11	200S	230E	4301930402	2230	Federal	Oil Well	Shut-in
LEVON 3	11	200S	230E	4301931234	10802	Federal	Oil Well	Shut-in
FEDERAL 10-2	10	200S	230E	4301931049	9465	Federal	Gas Well	Shut-in
CISCO SS 11-5	11	200S	230E	4301931056	2275	Federal	Oil Well	Shut-in
CISCO SS 9-3	09	200S	230E	4301931048	11809	Federal	Gas Well	Shut-in
FEDERAL 23-14	23	200S	230E	4301931053	10225	Federal	Gas Well	Shut-in
FEDERAL 23-15	23	200S	230E	4301931073	2280	Federal	Oil Well	Shut-in
ISLAND FUEL 23-4	23	200S	230E	4301930950	2265	Federal	Gas Well	Shut-in
CISCO SS 11-8B	11	200S	230E	4301931147	10881	Federal	Oil Well	Shut-in
ISLAND FUEL 23-10	23	200S	230E	4301931050	2275	Federal	Gas Well	Shut-in
ISLAND FUEL 23-8	23	200S	230E	4301930998	2270	Federal	Gas Well	Shut-in
ISLAND FUEL 9-5	09	200S	230E	4301931085	8218	Federal	Gas Well	Shut-in
ISLAND FUEL 9-6	09	200S	230E	4301931142	8218	Federal	Gas Well	Shut-in
TXO 14-1	14	200S	230E	4301930610	2240	Federal	Oil Well	Shut-in
TXO 14-2	14	200S	230E	4301931089	2290	Federal	Oil Well	Shut-in
TXO 14-3	14	200S	230E	4301931144	2290	Federal	Oil Well	Shut-in
TXO 15-2	15	200S	230E	4301930690	2245	Federal	Oil Well	Shut-in
TXO 15-4	15	200S	230E	4301930832	8221	Federal	Oil Well	Shut-in
TXO 23-1C	23	200S	230E	4301931220	10678	Federal	Oil Well	Shut-in
TXO MESA 23-1	23	200S	230E	4301930693	2250	Federal	Oil Well	Shut-in

RECEIVED ڷؙڒؙ

STATE OF UTAH

, mar	_	•		
N	2	6	2013	

FORM 9

	DIVISION OF OIL, GAS AND M	CHAIN THE HIS COUNTY AND A STREET	5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
SUNDRY	NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill r drill horizontal la	new wells, significantly deepen existing wells below cu aterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	7. UNIT of CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL			8. WELL NAME and NUMBER: SEE ATTACHED LIST
2. NAME OF OPERATOR: RUNNING FOXES PETRO	OLEUM, INC. N219	5	9. API NUMBER: attached
3. ADDRESS OF OPERATOR:	Y Centennial STATE CO ZIF	PHONE NUMBER: (720) 889-0510	10. FIELD AND POOL, OR WILDCAT: GREATER CISCO
4. LOCATION OF WELL FOOTAGES AT SURFACE:			COUNTY: GRAND
QTR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN:		STATE: UTAH
11. CHECK APPI	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
240 07 110110 00111	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
Effective March 31, 2013, previously operated by Sc	Running Foxes Petroleum, Inc. t	pertinent details including dates, depths, volume	
NAME (PLEASE PRINT) Steven A. SIGNATURE	Tedesco	TITLE President DATE 6-24-20	013

APPROVED

JUL 1 7 2013

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING BY: Zeke Clement for Rachel Medina

Well Name	API Well Number	Lease	Well Type	Qtr/Qtr	SEC	TWP-RNG
Browndirt 1	43-019-30395-00-00	UTU 032574	Gas Well	SWNE	14	20S-23E
Browndirt 2	43-019-30691-00-00	UTU 032574	Gas Well	SENE	14	20S-23E
Browndirt 5	43-019-31143-00-00	UTU 032574	Gas Well	SWNE	14	20S-23E
Levon 1	43-019-30402-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Levon 3	43-019-31234-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Cisco SS 10-2 (Federal 10-2)	43-019-31049-00-00	UTU 042223	Gas Well	NENE	10	20S-23E
Cisco SS 11-5	43-019-31056-00-00	UTU 042223	Oil Well	SWNE	11	20S-23E
Cisco SS 9-3	43-019-31048-00-00	UTU 042223	Gas Well	SENW	9	20S-23E
Federal 23-14	43-019-31053-00-00	UTU 042223	Gas Well	NWSE	23	20S-23E
Federal 23-15	43-019-31073-00-00	UTU 042223	Oil Well	SWNE	23	20S-23E
Inland Fuels 23-4 (Island Fuel 23-4)	43-019-30950-00-00	UTU 042223	Gas Well	SWNE	23	20S-23E
Inland Fuels 11-8B (Cisco SS 11-8B)	43-019-31147-00-00	UTU 042223	Oil Well	NWNE	11	20S-23E
Inland Fuels 23-10 (Island Fuel 23-10)	43-190-31050-00-00	UTU 042223	Gas Well	SWNE	23	20S-23E
Inland Fuels 23-8 (Island Fuel 23-8)	43-019-30998-00-00	UTU 042223	Gas Well	NESE	23	20S-23E
Inland Fuels 9-5 (Island Fuel 9-5)	43-019-31085-00-00	UTU 042223	Gas Well	SWNW	9	20S-23E
Inland Fuels 9-6 (Island Fuel 9-6)	43-019-31142-00-00	UTU 042223	Gas Well	NESW	9	20S-23E
TXO 14-1	43-019-30610-00-00	UTU 044440	Oil Well	swsw	14	20S-23E
TXO 14-2	43-019-31089-00-00	UTU 044440	Oil Well	SWSW	14	20S-23E
TXO 14-3	43-019-31144-00-00	UTU 044440	Oil Well	SWSW	14	20S-23E
TXO 15-2	43-019-30690-00-00	UTU 044440	Oil Well	NENW	15	20S-23E
TXO 15-4	43-019-30832-00-00	UTU 044440	Oil Well	SESE	15	20S-23E
TXO 23-1C	43-019-31220-00-00	UTU 044440	Oil Well	NENW	23	20S-23E
TXO Mesa 23-1	43-019-30693-00-00	UTU 044440	Oil Well	NENW	23	20S-23E

RECEIVED JUN 2 6 2013

Div. of Oil, Gas & Mining

STATE OF UTAH

	5 LEASE DESIGNATION AND SERAL NUMBER: SEE ATTACHED LIST			
SUNDR	Y NOTICES AND REPORT	S ON WELLS	B. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	new wells, significantly deepen existing wells below culaterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals	7. UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL OIL WELL	. 🗹 GAS WELL 🗌 OTHER_		8 WELL NAME and NUMBER: SEE ATTACHED LIST	
2 NAME OF OPERATOR			9 API NUMBER:	
SCHUSTER HOMES, IN	C.		ATTACHED	
	_{ry} CHICO STATE CA 21P	95973 PHONE NUMBER .	10. FIELD AND POOL, OR WILDCAT GREATER CISCO	
4. LOCATION OF WELL				
FOOTAGES AT SURFACE			COUNTY:	
QTR/QTR, SECTION, TOWNSHIP, RAI	NGE, MERIDIAN:		STATE UTAH	
11. CHECK APP	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE REPOR	RT. OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION	,	
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION	
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURETREAT	SIDETRACK TO REPAIR WELL	
Approximate date work will start	CASING REPAIR	☐ NEW CONSTRUCTION	TEMPORARILY ABANDON	
	CHANGE TO PREVIOUS PLANS	✓ OPERATOR CHANGE	TUBING REPAIR	
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE	
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL	
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)		
Date of work completion:	COMMINGLE PRODUCING FORMATIONS		WATER SHUT-OFF	
	CONVERT WELL TYPE	RECLAMATION OF WELL SITE	OTHER:	
12 DESCRIBE PROPOSED OR CO	DMPLETED OPERATIONS. Clearly show all pe	RECOMPLETE - DIFFERENT FORMATION		
Effective March 31, 2013,	Running Foxes Petroleum, Inc. o	f 6855 S. Havana St., #400 Cente	ennial, CO 80112 took over ransfers ownership of all	
NAME (PLEASE PRINT) Stephen J. SIGNATURE SIGNATURE	Schuster	TITLE President DATE 7/8/13	RECEIVEL JUL 15 2013 Div. of Oil, Gas & Mining	
(his space for State use only)				

APPROVED

(5/2000)

JUL 1 7 2013

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING BY: Edle Clemento For Rachel Medina

Well Name	API Well Number	Lease	Well Type	Qtr/Qtr	SEC	TWP-RNG
Browndirt 1	43-019-30395-00-00	UTU 032574	Gas Well	SWNE	14	20\$-23E
Browndirt 2	43-019-30691-00-00	UTU 032574	Gas Well	SENE	14	20S-23E
Browndirt 5	43-019-31143-00-00	UTU 032574	Gas Weil	SWNE	14	20S-23E
Levon 1	43-019-30402-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Levon 3	43-019-31234-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Cisco SS 10-2 (Federal 10-2)	43-019-31049-00-00	UTU 042223	Gas Well	NENE	10	20S-23E
Cisco SS 11-5	43-019-31056-00-00	UTU 042223	New FO	SWNE	11	209-23E
Cisco SS 9-3	43-019-31048-00-00	UTU 042223	Gas Well	SENW	9	20S-23E
Federal 23-14	43-019-31053-00-00	UTU 042223	Gas Well	NWSE	23	20S-23E
Federal 23-15	43-019-31073-00-00	UTU 042223	Oil Well	SWNE	23	20S-23E
Inland Fuels 23-4 (Island Fuel 23-4)	43-019-30950-00-00	UTU 042223	Gas Well	SWNE	23	208-23E
Inland Fuels 11-88 (Cisco SS 11-88)	43-019-31147-00-00	UTU 042223	Oil Well	NWNE	11	20S-23E
Inland Fuels 23-10 (Island Fuel 23-10)	43-190-31050-00-00	UTU 042223	Gas Well	SWNE	23	20\$-23E
Inland Fuels 23-8 (Island Fuel 23-8)	43-019-30998-00-00	UTU 042223	Gas Weil	NESE	23	208-23E
Inland Fuels 9-5 (Island Fuel 9-5)	43-019-31085-00-00	UTU 042223	Gas Welt	SWNW	9	20S-23E
Inland Fuels 9-6 (Island Fuel 9-6)	43-019-31142-00-00	UTU 042223	Gas Well	NESW	9	20S-23E
TXO 14-1	43-019-30610-00-00	UTU 044440	Oil Well	swsw	14	20S-23E
TXO 14-2	43-019-31089-00-00	UTU 044440	Oil Well	SWSW	14	208-23E
TXO 14-3	43-019-31144-00-00	UTU 044440	Oil Well	SWSW	14	208-23E
TXO 15-2	43-019-30690-00-00	UTU 044440	Oli Well	NENW	15	20\$-23E
TXO 15-4	43-019-30832-00-00	UTU 044440	Oil Well	SESE	15	20S-23E
TXO 23-1C	43-019-31220-00-00	UTU 044440	Oil Well	NENW	23	208-23E
FXO Mesa 23-1	43-019-30693-00-00	UTU 044440	Oil Well	NENW	23	208-23E
	····					
·			I			***************************************
						
		I			$ \Box$ \Box	

Div. of Oil, Gas & Mining